



**Santa Maria**

**Drill Hole Results**

**2016 Drilling Program, August 2016**

**Assay Results**

<b>HOLE ID</b>	<b>FROM (m)</b>	<b>TO (m)</b>	<b>Au (g/t)</b>	<b>Ag (g/t)</b>
SM16-01	4.85	6.10	0.007	1.3
SM16-01	6.10	8.84	0.006	90.9
SM16-01	8.64	9.81	0.047	20.2
SM16-01	9.81	10.97	0.083	50.7
SM16-01	10.97	12.68	0.057	117.0
SM16-01	12.68	13.54	0.267	138.0
SM16-01	13.54	15.06	0.233	76.2
SM16-01	15.06	16.86	0.075	77.0
SM16-01	16.86	18.73	0.087	18.0
SM16-01	34.25	35.87	0.153	71.6
SM16-01	35.87	36.85	0.076	7.5
SM16-01	36.85	37.97	0.077	7.5
SM16-01	37.97	38.82	0.065	8.8
SM16-01	38.82	39.98	0.081	2.8
SM16-01	39.98	41.20	0.027	1.2
SM16-01	41.20	42.00	0.084	10.0
SM16-01	42.00	42.71	0.161	16.7
SM16-01	42.71	44.09	0.091	5.1
SM16-01	44.09	45.10	0.202	6.1
SM16-01	45.10	46.71	0.073	8.8
SM16-01	46.71	47.89	0.105	7.2
SM16-01	47.89	48.38	1.070	183.0
SM16-01	48.38	49.10	0.056	17.6
SM16-01	49.10	49.58	0.626	139.0
SM16-01	49.58	50.71	0.115	6.7
SM16-01	58.62	59.56	0.012	1.8
SM16-01	59.56	60.40	0.007	1.6
SM16-01	60.40	61.32	<0.005	0.9
SM16-01	61.32	62.35	0.006	1.3
SM16-01	93.39	94.12	0.022	2.8
SM16-01	94.12	94.43	0.030	8.9
SM16-01	94.43	95.12	0.059	6.5
SM16-01	96.23	97.93	0.041	7.7
SM16-01	97.93	98.93	<0.005	3.6
SM16-01	107.57	108.31	0.023	7.8
SM16-01	108.31	109.56	0.025	4.3
SM16-01	112.21	113.22	<0.005	<0.5
SM16-01	113.22	114.12	<0.005	1.6
SM16-01	134.55	135.57	0.006	2.3

HOLE ID	FROM (m)	TO (m)	Au (g/t)	Ag (g/t)
SM16-01	135.57	136.30	0.086	9.2
SM16-01	136.30	136.80	0.009	7.3
SM16-01	153.56	154.38	<0.005	<0.5
SM16-01	154.38	155.59	<0.005	<0.5
SM16-01	155.59	156.34	<0.005	<0.5
SM16-02	1.00	2.90	0.046	7.8
SM16-02	2.90	3.50	0.074	24.0
SM16-02	3.50	3.75	0.303	53.5
SM16-02	3.75	4.80	0.036	8.3
SM16-02	4.80	6.90	0.060	7.6
SM16-02	6.90	10.00	<0.005	1.3
SM16-02	10.00	12.76	0.037	13.6
SM16-02	12.76	13.86	0.050	7.1
SM16-02	13.86	14.95	0.034	11.7
SM16-02	14.95	16.00	0.013	4.3
SM16-02	16.00	17.62	0.016	19.0
SM16-02	17.62	18.87	0.044	15.6
SM16-02	18.87	20.87	0.033	7.0
SM16-02	20.87	21.65	0.058	10.5
SM16-02	21.65	22.00	0.068	5.2
SM16-02	22.00	24.05	0.077	7.1
SM16-02	24.05	26.00	0.058	3.6
SM16-02	26.00	27.90	0.143	32.1
SM16-02	27.90	28.70	0.194	8.8
SM16-02	28.70	29.60	0.124	18.5
SM16-02	29.60	31.05	0.104	12.6
SM16-02	31.05	32.05	0.138	29.2
SM16-02	32.05	32.75	0.509	141.0
SM16-02	32.75	33.00	0.912	754.0
SM16-02	33.00	33.35	0.255	14.6
SM16-02	33.35	35.00	0.114	28.7
SM16-02	35.00	37.05	0.128	20.5
SM16-02	37.05	38.10	0.243	8.7
SM16-02	38.10	39.50	0.140	17.5
SM16-02	39.50	40.50	1.170	80.4
SM16-02	40.50	41.54	1.240	56.0
SM16-02	41.54	42.54	0.124	78.0
SM16-02	42.54	43.20	0.078	60.0

HOLE ID	FROM (m)	TO (m)	Au (g/t)	Ag (g/t)
SM16-02	43.20	44.28	0.105	111.0
SM16-02	44.28	45.55	0.564	70.0
SM16-02	45.55	46.00	0.101	40.3
SM16-02	46.00	46.26	0.313	354.0
SM16-02	46.26	47.30	0.224	451.0
SM16-02	47.30	47.52	0.578	200.0
SM16-02	47.52	47.85	0.272	194.0
SM16-02	47.85	48.64	0.191	98.1
SM16-02	48.64	49.50	0.168	74.3
SM16-02	49.50	50.22	0.196	46.9
SM16-02	50.22	50.64	0.064	14.2
SM16-02	50.64	51.34	0.152	17.7
SM16-02	51.34	51.60	1.440	98.4
SM16-02	51.60	52.00	0.478	42.6
SM16-02	52.00	54.06	0.281	50.0
SM16-02	54.06	55.34	0.886	856.0
SM16-02	55.34	56.29	0.473	56.6
SM16-02	56.29	56.73	0.303	95.0
SM16-02	56.73	57.76	0.231	220.0
SM16-02	57.76	58.65	0.728	75.5
SM16-02	58.65	59.50	3.140	433.0
SM16-02	60.60	62.28	0.205	43.7
SM16-02	62.28	63.81	0.182	21.3
SM16-02	63.81	64.25	0.054	10.1
SM16-02	64.25	64.28	0.039	5.2
SM16-02	64.28	65.20	0.019	9.7
SM16-02	65.20	65.43	0.033	5.2
SM16-02	65.53	66.27	0.023	5.1
SM16-02	66.27	67.40	0.010	1.3
SM16-02	67.40	67.82	0.011	1.3
SM16-02	70.11	70.62	0.015	1.2
SM16-02	70.62	70.83	0.075	4.4
SM16-02	70.83	71.96	0.013	0.7
SM16-02	78.53	78.86	0.008	2.0
SM16-02	78.86	79.14	0.063	14.0
SM16-02	79.14	79.54	0.029	6.2
SM16-02	82.34	82.90	0.145	7.7
SM16-02	82.90	83.26	0.049	9.1
SM16-02	83.26	83.50	0.417	56.0

HOLE ID	FROM (m)	TO (m)	Au (g/t)	Ag (g/t)
SM16-02	83.50	83.80	0.052	12.1
SM16-02	83.80	84.14	0.054	17.9
SM16-02	84.14	85.00	0.025	36.1
SM16-03	11.36	13.85	0.026	5.8
SM16-03	13.85	14.76	0.075	11.8
SM16-03	14.76	15.38	0.176	15.3
SM16-03	15.38	17.95	0.083	36.9
SM16-03	17.95	18.78	0.143	7.7
SM16-03	18.78	19.63	0.075	8.3
SM16-03	19.63	20.56	0.110	23.8
SM16-03	20.56	21.85	0.086	9.6
SM16-03	27.00	27.65	0.047	3.5
SM16-03	27.65	29.13	0.090	8.9
SM16-03	29.13	30.00	0.078	9.0
SM16-03	30.00	31.09	0.069	10.6
SM16-03	31.09	32.28	0.225	40.6
SM16-03	32.28	33.00	0.865	71.9
SM16-03	33.00	34.00	0.193	12.8
SM16-03	43.25	44.31	0.023	2.3
SM16-03	44.31	45.62	0.050	2.2
SM16-03	45.62	45.85	0.016	2.2
SM16-03	45.85	47.32	0.267	10.8
SM16-03	47.32	48.17	0.946	88.3
SM16-03	53.86	54.33	0.097	25.6
SM16-03	54.33	55.33	0.351	44.1
SM16-03	55.33	56.45	0.837	277.0
SM16-03	56.45	57.84	0.951	800.0
SM16-03	57.84	59.45	0.662	278.0
SM16-03	59.45	60.61	0.158	13.9
SM16-03	60.61	61.74	0.225	85.6
SM16-03	61.74	62.55	0.115	10.6
SM16-03	62.55	63.54	0.212	8.0
SM16-03	63.54	64.56	0.030	6.2
SM16-03	85.96	87.10	0.007	1.1
SM16-03	87.10	88.14	0.033	4.3
SM16-03	88.14	89.25	0.077	6.0
SM16-03	89.25	89.75	0.049	5.8
SM16-03	89.75	90.87	0.061	2.8
SM16-03	90.87	91.95	0.056	3.8

HOLE ID	FROM (m)	TO (m)	Au (g/t)	Ag (g/t)
SM16-03	91.95	93.53	0.051	3.5
SM16-03	93.53	95.07	0.081	3.0
SM16-03	98.44	99.77	0.013	3.5
SM16-03	99.77	101.24	0.013	0.8
SM16-03	101.24	102.38	0.012	1.0
SM16-03	102.38	103.21	0.016	2.4
SM16-03	103.21	104.11	0.013	1.9
SM16-03	108.14	109.14	<0.005	1.0
SM16-03	109.14	109.87	0.006	0.9
SM16-03	109.87	110.92	<0.005	1.2
SM16-03	110.92	112.20	<0.005	<0.5
SM16-04	3.56	4.88	0.029	7.6
SM16-04	4.88	5.66	0.057	9.5
SM16-04	5.66	6.85	0.071	7.3
SM16-04	6.85	7.57	0.050	11.4
SM16-04	7.57	7.97	0.019	14.0
SM16-04	7.97	9.47	0.064	8.9
SM16-04	9.47	10.20	0.050	22.9
SM16-04	10.20	10.77	0.143	33.4
SM16-04	10.77	11.27	0.129	48.2
SM16-04	11.27	11.58	0.084	65.5
SM16-04	11.58	13.04	0.011	6.8
SM16-04	13.04	13.69	<0.005	5.1
SM16-04	13.69	15.28	0.010	7.0
SM16-04	15.28	16.50	0.025	5.1
SM16-04	16.50	17.55	0.027	4.7
SM16-04	17.55	18.14	0.017	4.7
SM16-04	18.14	18.60	0.022	5.6
SM16-04	18.60	19.69	0.031	3.9
SM16-04	19.69	21.01	0.014	5.2
SM16-04	21.01	21.93	0.027	15.4
SM16-04	21.93	23.84	0.026	3.8
SM16-04	23.84	25.37	0.021	8.8
SM16-04	25.37	26.37	0.021	12.6
SM16-04	26.37	27.66	0.021	7.2
SM16-04	27.66	28.40	0.020	5.2
SM16-04	28.40	29.91	0.028	3.7
SM16-04	29.91	31.20	0.006	1.8
SM16-04	31.20	32.77	0.011	3.4

HOLE ID	FROM (m)	TO (m)	Au (g/t)	Ag (g/t)
SM16-04	45.78	46.20	0.015	6.4
SM16-04	46.20	47.35	0.021	11.6
SM16-04	47.35	48.62	0.044	9.2
SM16-04	48.62	49.90	0.048	10.2
SM16-04	49.90	50.34	0.187	24.4
SM16-04	50.34	51.84	0.257	88.2
SM16-04	51.84	52.20	0.222	37.1
SM16-04	52.20	53.17	0.315	14.4
SM16-04	53.17	53.57	0.169	36.1
SM16-04	53.57	54.65	0.161	30.8
SM16-04	54.65	56.00	0.363	21.5
SM16-04	56.00	56.75	0.783	22.3
SM16-04	56.75	57.10	0.208	18.0
SM16-04	57.10	58.40	0.130	21.4
SM16-04	58.40	59.55	0.086	14.6
SM16-04	59.55	60.40	0.321	29.5
SM16-04	60.40	61.21	0.383	30.0
SM16-04	61.21	61.88	0.219	33.0
SM16-04	61.88	62.36	0.193	34.6
SM16-04	62.36	62.89	0.254	19.2
SM16-04	62.89	63.53	0.175	9.4
SM16-04	63.53	64.88	0.213	8.0
SM16-04	64.88	65.68	0.156	10.4
SM16-04	65.68	66.48	0.151	13.4
SM16-04	66.48	67.07	0.273	25.1
SM16-04	67.07	68.12	0.953	70.5
SM16-04	68.12	68.84	0.457	54.8
SM16-04	68.84	69.27	0.404	17.2
SM16-04	69.27	69.82	0.106	4.2
SM16-04	69.82	70.55	0.146	11.6
SM16-04	70.55	71.00	0.319	20.3
SM16-04	71.00	71.77	0.025	2.8
SM16-04	71.77	72.77	0.150	9.4
SM16-04	76.20	77.37	0.162	9.4
SM16-04	77.37	77.95	0.142	13.8
SM16-04	77.95	78.25	0.174	14.1
SM16-04	78.25	78.88	0.732	439.0
SM16-04	78.88	79.70	0.183	56.4
SM16-04	79.70	79.92	0.187	81.2

HOLE ID	FROM (m)	TO (m)	Au (g/t)	Ag (g/t)
SM16-04	79.92	80.54	0.947	512.0
SM16-04	80.54	81.18	0.190	42.4
SM16-04	81.18	82.20	0.232	19.3
SM16-04	82.20	83.51	0.200	10.4
SM16-04	83.51	84.19	0.084	1.2
SM16-04	84.19	85.12	0.103	2.8
SM16-04	85.12	85.83	0.115	6.6
SM16-04	85.83	87.16	0.075	3.4
SM16-04	93.45	93.92	0.080	3.0
SM16-04	93.92	94.55	0.147	42.4
SM16-04	94.55	94.83	1.595	376.0
SM16-04	94.83	95.03	1.740	802.0
SM16-04	95.03	95.31	0.743	34.1
SM16-04	95.31	96.12	0.865	78.9
SM16-04	96.12	97.42	0.110	7.1
SM16-05	3.18	4.05	0.044	12.3
SM16-05	4.05	4.35	0.046	10.4
SM16-05	4.35	5.13	0.040	10.8
SM16-05	5.13	5.75	0.120	20.5
SM16-05	5.75	6.65	0.116	11.6
SM16-05	8.35	8.69	0.031	6.2
SM16-05	8.69	9.34	0.010	8.7
SM16-05	12.59	13.40	0.041	6.2
SM16-05	13.40	14.76	0.014	9.2
SM16-05	14.76	16.40	0.020	29.0
SM16-05	16.40	17.97	0.032	16.5
SM16-05	17.97	18.57	0.039	29.3
SM16-05	23.49	24.58	0.083	4.7
SM16-05	24.58	25.59	0.055	5.8
SM16-05	26.79	27.60	0.176	71.9
SM16-05	27.60	28.55	0.140	11.7
SM16-05	28.55	29.05	0.101	4.4
SM16-05	29.05	29.40	0.116	5.5
SM16-05	29.40	30.25	0.030	3.5
SM16-05	32.15	33.22	0.459	88.6
SM16-05	33.22	33.67	1.525	598.0
SM16-05	33.67	34.07	0.393	378.0
SM16-05	34.07	34.48	0.126	75.1
SM16-05	34.48	35.82	0.145	37.6



HOLE ID	FROM (m)	TO (m)	Au (g/t)	Ag (g/t)
SM16-05	37.60	38.50	0.144	26.3
SM16-05	38.50	39.12	0.096	8.6
SM16-05	39.12	39.50	0.411	116.0
SM16-05	39.50	40.40	0.141	29.6
SM16-05	40.40	41.00	0.131	10.0
SM16-05	41.00	41.97	0.118	5.2
SM16-05	41.97	43.11	0.242	42.6
SM16-05	43.11	43.57	2.150	1430.0
SM16-05	43.57	44.85	0.118	17.1
SM16-05	44.85	46.03	0.165	42.8
SM16-05	46.03	47.10	0.111	6.5
SM16-05	47.10	47.85	0.517	138.0
SM16-05	47.85	48.53	0.133	16.8
SM16-05	48.53	48.95	0.702	220.0
SM16-05	48.95	49.50	0.561	176.0
SM16-05	49.50	49.90	0.627	112.0
SM16-05	49.90	50.35	2.260	680.0
SM16-05	50.35	50.87	0.678	61.3
SM16-05	50.87	51.70	0.858	113.0
SM16-05	51.70	52.80	0.272	34.3
SM16-05	52.80	54.36	0.401	12.1
SM16-05	54.36	55.31	0.206	4.5
SM16-05	58.40	58.83	0.262	2.4
SM16-05	58.83	59.07	0.128	4.0
SM16-05	59.07	59.97	0.195	7.5
SM16-05	67.14	67.96	0.125	3.2
SM16-05	67.96	68.38	0.099	3.1
SM16-05	73.80	74.52	0.087	1.3
SM16-05	74.52	75.10	0.374	2.1
SM16-05	75.10	76.28	0.087	4.0
SM16-05	76.28	77.58	0.034	3.1
SM16-05	77.58	78.33	0.035	3.3
SM16-05	78.33	79.53	0.068	6.1
SM16-05	79.53	79.97	0.301	24.1
SM16-05	79.97	80.90	0.032	7.9
SM16-05	80.90	81.25	0.037	8.3
SM16-05	81.25	81.90	0.008	0.9
SM16-05	88.40	89.08	0.035	3.3
SM16-05	89.08	89.69	0.014	3.6

HOLE ID	FROM (m)	TO (m)	Au (g/t)	Ag (g/t)
SM16-05	89.69	90.38	0.010	4.1
SM16-05	90.38	90.76	<0.005	2.2
SM16-05	90.76	91.28	0.011	6.6
SM16-05	91.28	91.55	0.056	3.9
SM16-05	91.55	92.50	0.008	3.9
SM16-05	100.32	100.98	<0.005	2.9
SM16-05	100.98	102.00	0.006	4.0
SM16-05	102.00	103.05	0.016	2.4
SM16-06	11.70	12.50	0.023	2.8
SM16-06	12.50	12.70	0.024	3.3
SM16-06	12.70	13.40	0.013	1.2
SM16-06	13.40	14.60	0.027	2.4
SM16-06	14.60	15.30	0.046	5.1
SM16-06	15.30	16.30	0.016	1.9
SM16-06	22.20	23.40	0.030	3.2
SM16-06	23.40	25.10	0.054	16.5
SM16-06	25.10	26.95	0.028	15.8
SM16-06	26.95	27.95	0.025	2.0
SM16-06	27.95	28.55	0.022	5.2
SM16-06	28.55	31.20	0.042	6.9
SM16-06	31.20	33.24	0.034	9.0
SM16-06	33.24	34.90	0.056	10.8
SM16-06	34.90	36.55	0.058	2.2
SM16-06	36.55	37.95	0.008	0.9
SM16-06	37.95	39.40	0.035	3.0
SM16-06	39.40	40.35	0.062	4.5
SM16-06	40.35	42.00	0.121	1.7
SM16-06	42.00	43.10	0.086	5.1
SM16-06	43.10	44.25	0.280	15.3
SM16-06	44.25	45.45	0.060	7.8
SM16-06	45.45	46.85	0.093	17.7
SM16-06	46.85	48.10	0.177	26.4
SM16-06	48.10	48.60	0.405	376.0
SM16-06	48.60	49.00	0.285	10.6
SM16-06	49.00	49.20	0.169	24.2
SM16-06	49.20	49.70	0.289	12.5
SM16-06	49.70	50.20	0.574	95.7
SM16-06	50.20	50.55	0.209	5.7
SM16-06	50.55	51.50	0.114	3.7

HOLE ID	FROM (m)	TO (m)	Au (g/t)	Ag (g/t)
SM16-07	13.25	14.40	0.008	2.1
SM16-07	14.40	15.50	0.048	7.5
SM16-07	15.50	16.70	0.053	7.2
SM16-07	16.70	18.02	0.180	30.2
SM16-07	18.02	19.00	0.072	9.5
SM16-07	19.00	19.75	0.040	3.1
SM16-07	19.75	20.20	0.016	2.5
SM16-07	20.20	21.25	0.020	1.9
SM16-07	64.90	65.90	0.026	2.6
SM16-07	65.90	66.15	0.070	5.0
SM16-07	66.15	66.60	0.053	3.5
SM16-07	66.60	67.75	0.236	18.8
SM16-07	67.75	68.15	0.051	8.7
SM16-07	68.15	69.37	0.036	3.3
SM16-07	79.00	80.00	0.178	81.5
SM16-07	80.00	81.00	0.104	50.1
SM16-07	81.00	81.40	5.590	28.2
SM16-07	81.40	81.80	1.755	20.1
SM16-07	81.80	82.20	1.870	99.5
SM16-07	82.20	83.00	0.968	100.0
SM16-07	83.00	83.40	1.040	395.0
SM16-07	83.40	83.75	2.030	1340.0
SM16-07	83.75	84.45	2.180	128.0
SM16-07	84.45	85.65	0.415	95.5
SM16-08	4.15	5.18	0.019	3.7
SM16-08	5.18	5.76	0.010	2.2
SM16-08	8.28	9.25	0.007	2.0
SM16-08	9.25	10.26	0.020	4.6
SM16-08	11.70	12.25	0.006	3.8
SM16-08	12.25	12.62	0.005	2.3
SM16-08	15.56	16.09	0.034	2.9
SM16-08	16.09	17.07	0.037	1.0
SM16-08	30.95	31.75	0.021	2.2
SM16-08	31.75	32.40	0.019	0.6
SM16-08	33.10	34.16	0.009	1.4
SM16-08	34.16	35.24	0.012	1.3
SM16-08	36.93	37.33	0.016	0.8
SM16-08	45.01	45.93	0.032	4.5
SM16-08	45.93	46.45	0.049	8.3

HOLE ID	FROM (m)	TO (m)	Au (g/t)	Ag (g/t)
SM16-08	46.45	47.20	0.043	4.5
SM16-08	47.20	48.09	0.051	6.7
SM16-08	48.09	49.10	0.020	2.7
SM16-08	49.10	50.45	0.072	12.1
SM16-08	50.45	51.56	0.222	31.6
SM16-08	51.56	52.42	0.646	55.3
SM16-08	52.42	52.67	0.581	192.0
SM16-08	52.67	53.62	0.160	48.2
SM16-08	53.62	54.53	0.085	40.3
SM16-08	54.53	55.10	0.041	4.9
SM16-08	55.10	55.54	0.319	13.8
SM16-08	55.54	56.44	0.506	43.4
SM16-08	56.44	57.25	0.122	47.6
SM16-08	57.25	57.89	1.280	26.3
SM16-08	57.89	58.37	0.367	27.0
SM16-08	58.37	58.63	0.247	67.8
SM16-08	58.63	58.86	7.510	831.0
SM16-08	58.86	59.91	0.196	12.9
SM16-08	59.91	61.17	0.063	32.8
SM16-08	61.17	62.23	0.033	4.3
SM16-08	62.23	62.72	0.083	5.0
SM16-08	62.72	63.35	0.187	6.5
SM16-08	63.35	64.10	0.173	14.2
SM16-08	64.10	64.50	0.926	191.0
SM16-08	64.50	65.60	0.195	42.5
SM16-08	65.60	66.69	0.025	3.3
SM16-08	66.69	67.35	0.013	1.7
SM16-08	67.35	68.48	0.009	1.8
SM16-08	68.48	68.88	0.010	2.8
SM16-08	71.52	72.30	0.006	1.9
SM16-08	72.30	72.95	0.015	3.7
SM16-08	72.95	73.30	0.008	2.5
SM16-08	73.30	73.70	<0.005	1.4
SM16-08	73.70	74.75	0.006	2.9
SM16-08	74.75	75.45	0.012	3.7
SM16-08	75.45	76.32	0.402	3.0
SM16-08	76.32	77.55	0.005	1.8
SM16-08	77.55	78.20	0.016	2.9
SM16-08	78.20	78.93	0.011	1.9

HOLE ID	FROM (m)	TO (m)	Au (g/t)	Ag (g/t)
SM16-08	78.93	79.86	<0.005	<0.5
SM16-08	79.86	80.30	<0.005	0.7
SM16-08	80.30	81.20	0.006	1.0
SM16-09	24.80	26.00	0.057	7.4
SM16-09	26.00	27.45	0.051	5.8
SM16-09	27.45	28.05	0.023	2.6
SM16-09	28.05	28.45	0.055	5.8
SM16-09	28.45	29.40	0.046	3.7
SM16-09	43.67	44.60	0.014	2.4
SM16-09	44.60	46.40	0.037	3.1
SM16-09	46.40	47.40	0.038	3.5
SM16-09	56.19	57.09	0.041	5.1
SM16-09	57.09	57.89	0.033	6.0
SM16-09	57.89	58.75	0.069	6.6
SM16-09	58.75	59.60	0.043	6.4
SM16-09	59.60	60.65	0.031	3.2
SM16-09	60.65	62.15	0.028	3.0
SM16-09	62.15	63.40	0.085	5.3
SM16-09	63.40	64.53	0.042	4.4
SM16-09	64.53	65.70	0.132	6.2
SM16-09	65.70	66.70	0.042	3.3
SM16-09	66.70	68.00	0.171	12.9
SM16-09	68.00	68.20	2.030	1820.0
SM16-09	68.20	68.75	1.075	159.0
SM16-09	68.75	69.55	0.096	14.8
SM16-10	37.77	38.90	<0.005	0.9
SM16-10	38.90	40.80	0.009	19.9
SM16-10	40.80	42.24	0.030	4.3
SM16-10	42.24	42.52	0.136	12.1
SM16-10	42.52	42.82	0.047	10.2
SM16-10	42.82	43.62	0.049	11.7
SM16-10	43.62	44.02	0.058	17.6
SM16-10	44.02	44.55	0.063	13.7
SM16-10	44.55	45.87	0.051	9.5
SM16-10	45.87	47.03	0.058	17.4
SM16-10	47.03	48.22	0.009	1.3
SM16-10	48.22	48.77	0.007	2.2
SM16-10	48.77	50.08	0.096	4.7
SM16-10	50.08	51.65	0.079	5.2

HOLE ID	FROM (m)	TO (m)	Au (g/t)	Ag (g/t)
SM16-10	51.65	53.00	0.090	3.2
SM16-10	53.00	54.00	0.051	2.0
SM16-10	54.00	55.28	0.057	3.1
SM16-10	55.28	56.31	0.171	6.7
SM16-10	56.31	57.73	0.300	11.3
SM16-10	57.73	59.17	0.172	4.6
SM16-10	59.17	59.94	0.185	24.5
SM16-10	59.94	61.53	0.171	64.5
SM16-10	61.53	61.74	0.178	48.3
SM16-10	61.74	62.50	0.102	37.5
SM16-10	62.50	63.35	0.078	45.6
SM16-10	63.35	64.25	0.105	26.2
SM16-10	64.25	64.50	0.149	116.0
SM16-10	64.50	66.00	0.010	3.5
SM16-10	66.00	66.97	0.006	3.0
SM16-10	66.97	68.51	0.014	3.7
SM16-10	68.51	69.06	<0.005	2.9
SM16-10	69.06	70.17	0.011	0.9
SM16-11	0.00	1.51	0.083	32.1
SM16-11	1.51	1.95	0.166	28.3
SM16-11	1.95	3.12	0.283	312.0
SM16-11	3.12	3.55	0.211	265.0
SM16-11	3.55	4.94	0.159	36.4
SM16-11	4.94	5.52	0.069	14.0
SM16-11	5.52	5.93	0.047	10.8
SM16-11	5.93	6.90	0.016	2.7
SM16-11	6.90	7.83	0.049	8.6
SM16-11	7.83	8.44	0.095	8.0
SM16-11	8.44	9.07	0.039	9.0
SM16-11	9.07	9.92	0.052	25.8
SM16-11	9.92	10.61	0.058	5.2
SM16-11	31.00	32.00	0.115	6.8
SM16-11	32.00	32.40	0.223	14.1
SM16-11	32.40	33.85	0.130	5.1
SM16-11	33.85	34.70	0.159	10.7
SM16-11	34.70	36.00	0.208	30.1
SM16-11	36.00	36.62	0.272	13.0
SM16-11	36.62	37.30	0.117	10.3
SM16-11	37.30	38.20	0.118	15.6

HOLE ID	FROM (m)	TO (m)	Au (g/t)	Ag (g/t)
SM16-11	38.20	39.00	0.093	11.4
SM16-11	39.00	39.46	0.161	24.0
SM16-11	39.46	40.46	0.095	12.8
SM16-11	40.46	41.44	0.213	18.9
SM16-11	41.44	42.47	0.351	145.0
SM16-11	42.47	43.44	0.201	153.0
SM16-11	43.44	43.84	0.219	21.7
SM16-11	43.84	44.90	0.340	25.1
SM16-11	44.90	45.28	0.528	28.2
SM16-11	45.28	46.50	0.646	39.4
SM16-11	46.50	47.59	0.518	45.2
SM16-11	47.59	48.96	0.106	30.6
SM16-11	48.96	49.60	0.058	17.7
SM16-11	49.60	49.98	0.047	9.5
SM16-11	49.98	51.07	0.017	6.5
SM16-11	51.07	51.98	0.028	7.9
SM16-11	51.98	52.29	0.112	9.0
SM16-11	52.29	52.93	0.067	8.8
SM16-12	2.30	3.76	0.028	4.2
SM16-12	3.76	4.18	0.069	20.5
SM16-12	4.18	4.63	0.974	106.0
SM16-12	4.62	5.46	0.178	14.5
SM16-12	5.46	6.89	0.028	16.5
SM16-12	6.89	7.70	0.013	2.0
SM16-12	16.56	17.70	0.025	6.3
SM16-12	17.70	18.47	0.036	4.0
SM16-12	18.47	19.03	0.104	7.5
SM16-12	19.03	20.56	0.054	3.9
SM16-12	20.56	21.33	0.013	2.3
SM16-12	21.33	22.09	0.011	2.3
SM16-12	22.09	22.64	0.053	4.8
SM16-12	22.64	23.15	0.030	3.6
SM16-12	29.18	30.06	0.060	11.7
SM16-12	30.06	31.30	0.134	22.9
SM16-12	31.30	32.20	0.128	24.7
SM16-12	32.20	32.87	0.101	20.1
SM16-12	32.87	33.50	0.130	10.9
SM16-12	33.50	34.20	0.009	4.2
SM16-12	34.20	35.08	0.008	2.4

HOLE ID	FROM (m)	TO (m)	Au (g/t)	Ag (g/t)
SM16-12	35.08	35.83	<0.005	1.0
SM16-12	38.26	39.22	0.061	3.2
SM16-12	39.22	40.02	0.019	5.4
SM16-12	44.24	45.76	0.112	45.5
SM16-12	45.76	46.46	0.076	27.3
SM16-12	46.46	46.81	0.221	14.8
SM16-12	46.81	47.41	0.475	6.0
SM16-12	47.41	48.41	0.351	12.6
SM16-12	48.41	49.58	0.093	35.0
SM16-12	49.58	51.31	0.036	6.1
SM16-12	51.31	52.11	1.700	76.0
SM16-12	52.11	52.40	0.046	7.5
SM16-12	52.40	53.73	0.038	26.5
SM16-12	53.73	55.07	0.057	4.7
SM16-12	55.07	55.29	0.101	5.2
SM16-12	55.29	55.65	0.124	46.0
SM16-12	55.65	56.00	0.262	111.0
SM16-12	56.00	57.18	0.298	46.3
SM16-12	57.18	57.72	0.190	14.4
SM16-12	57.72	58.08	0.166	45.7
SM16-12	58.08	59.10	0.160	21.4
SM16-12	60.70	61.56	0.274	21.7
SM16-12	61.56	62.53	0.194	12.6
SM16-12	65.05	65.59	0.049	5.4
SM16-12	65.59	66.54	0.090	7.0
SM16-12	66.54	66.76	0.301	96.0
SM16-13	0.00	1.05	0.035	6.3
SM16-13	1.05	2.56	9.040	275.0
SM16-13	2.56	4.14	0.059	9.5
SM16-13	17.25	18.90	0.047	11.2
SM16-13	18.90	20.04	0.053	14.4
SM16-13	20.04	21.32	0.022	3.6
SM16-13	26.31	27.58	0.027	5.0
SM16-13	27.58	28.47	0.063	31.4
SM16-13	28.47	28.76	0.111	10.7
SM16-13	28.76	29.77	0.062	4.8
SM16-13	29.77	31.42	0.082	13.6
SM16-13	31.42	32.47	0.040	16.2
SM16-13	32.47	34.01	0.027	4.9



HOLE ID	FROM (m)	TO (m)	Au (g/t)	Ag (g/t)
SM16-13	34.01	35.40	0.015	14.1
SM16-13	35.40	36.42	0.012	7.8
SM16-13	36.42	37.27	0.027	13.5
SM16-13	37.27	38.37	0.113	40.3
SM16-13	38.37	39.38	0.068	19.6
SM16-13	39.38	39.73	0.024	22.9
SM16-13	39.73	41.63	0.029	22.8
SM16-13	41.63	42.90	0.031	5.8
SM16-13	42.90	43.67	0.040	9.0
SM16-13	43.67	44.67	0.072	4.2
SM16-13	44.67	45.66	0.228	7.7
SM16-13	45.66	46.48	0.258	25.5
SM16-13	46.48	46.81	1.045	393.0
SM16-13	46.81	48.22	0.191	20.3
SM16-13	48.22	48.91	0.035	4.5
SM16-13	48.91	49.75	0.021	3.4
SM16-13	49.75	50.51	0.016	2.3
SM16-14	34.27	35.56	0.092	5.6
SM16-14	35.56	36.19	0.024	2.9
SM16-14	36.19	37.37	0.028	3.9
SM16-14	37.37	38.14	0.025	29.6
SM16-14	38.14	38.96	0.021	4.3
SM16-14	40.01	40.44	0.565	156.0
SM16-14	62.84	64.27	0.093	5.3
SM16-14	64.27	64.63	0.016	6.8
SM16-14	64.63	65.13	0.108	6.0
SM16-14	65.13	66.18	0.161	7.0
SM16-14	72.39	73.53	0.131	13.7
SM16-14	73.53	73.91	0.077	9.1
SM16-14	73.91	74.85	0.092	14.4
SM16-14	74.85	75.15	0.121	4.8
SM16-14	75.15	75.39	0.142	23.2
SM16-14	75.39	75.86	0.270	142.0
SM16-14	75.86	77.00	0.011	1.1
SM16-15	5.12	6.00	0.016	3.1
SM16-15	6.00	7.17	0.047	9.6
SM16-15	7.17	8.81	0.055	14.3
SM16-15	8.81	10.10	0.055	7.4
SM16-15	18.14	19.20	0.083	4.4

HOLE ID	FROM (m)	TO (m)	Au (g/t)	Ag (g/t)
SM16-15	19.20	20.67	0.241	142.0
SM16-15	20.67	21.22	0.110	71.8
SM16-15	21.22	22.40	2.610	20.7
SM16-15	22.40	23.45	0.074	8.8
SM16-15	23.45	24.33	0.105	26.1
SM16-15	24.33	25.22	9.970	1760.0
SM16-15	25.22	26.01	1.085	125.0
SM16-15	26.01	26.74	0.353	78.2
SM16-15	26.74	28.62	0.037	22.7
SM16-15	28.62	30.36	0.032	15.7
SM16-15	30.36	32.25	0.021	40.8
SM16-15	32.25	33.30	0.063	6.9
SM16-15	33.30	34.95	0.021	9.3
SM16-15	34.95	36.00	0.048	12.2
SM16-15	36.00	37.24	0.009	19.0
SM16-15	37.24	38.10	0.006	2.9
SM16-15	53.40	54.33	0.011	3.2
SM16-15	54.33	55.11	0.049	8.0
SM16-15	55.11	56.04	0.028	6.0
SM16-15	56.04	56.64	0.030	7.0
SM16-15	56.64	57.00	0.058	7.5
SM16-15	57.00	58.12	0.054	13.0
SM16-15	58.12	58.87	0.039	5.6
SM16-15	58.87	60.00	0.044	22.5
SM16-15	60.00	63.42	0.037	24.8
SM16-15	75.14	75.85	0.132	37.4
SM16-15	75.85	77.05	0.094	6.3
SM16-15	77.05	78.65	0.052	1.2
SM16-15	78.65	80.10	0.078	2.1
SM16-15	80.10	81.34	0.011	0.9
SM16-15	81.34	82.32	0.066	1.5
SM16-15	82.32	82.97	0.069	1.8
SM16-15	82.97	84.05	0.151	4.5
SM16-15	84.05	84.50	0.713	6.8
SM16-15	84.50	85.22	0.309	6.2
SM16-15	85.22	85.97	0.572	29.7
SM16-15	85.97	86.48	1.095	253.0
SM16-15	86.48	87.15	0.997	157.0
SM16-15	87.15	87.52	0.861	120.0

HOLE ID	FROM (m)	TO (m)	Au (g/t)	Ag (g/t)
SM16-15	87.52	88.13	0.282	29.1
SM16-15	88.13	89.05	0.097	10.8
SM16-15	89.05	89.70	0.028	5.1
SM16-15	89.70	90.24	0.006	2.4
SM16-15	90.24	91.17	0.017	2.4
SM16-15	91.17	92.34	0.039	4.5
SM16-15	92.34	93.69	0.018	3.7
SM16-15	95.91	96.84	0.027	2.6
SM16-15	96.84	97.72	0.015	2.1
SM16-16	25.15	26.58	0.044	4.1
SM16-16	26.58	26.88	0.100	13.7
SM16-16	26.88	27.88	0.054	4.5
SM16-16	27.88	28.08	0.155	70.2
SM16-16	28.08	29.45	0.027	4.2
SM16-16	29.45	30.75	0.044	4.9
SM16-16	30.75	31.00	0.064	9.3
SM16-16	31.00	31.80	0.099	6.2
SM16-16	31.80	32.50	0.342	32.0
SM16-16	32.50	33.10	0.399	34.4
SM16-16	33.10	34.40	0.067	3.2
SM16-16	34.40	35.60	0.130	11.5
SM16-16	35.60	37.05	0.110	2.6
SM16-16	37.05	38.00	0.144	12.6
SM16-16	38.00	38.91	0.116	13.5
SM16-16	38.91	39.13	0.365	384.0
SM16-16	39.13	39.86	0.069	8.4
SM16-16	39.86	40.15	0.327	46.3
SM16-16	40.15	41.43	0.048	2.6
SM16-16	41.43	42.89	0.034	2.4
SM16-16	42.89	44.32	0.082	7.9
SM16-16	44.32	45.02	0.116	5.3
SM16-16	45.02	45.50	0.440	40.2
SM16-16	45.50	46.55	0.290	145.0
SM16-16	46.55	47.80	0.093	10.8
SM16-16	47.80	49.08	0.110	14.7
SM16-16	49.08	50.21	0.033	7.8
SM16-16	50.21	51.40	0.015	2.7
SM16-16	51.40	52.47	0.128	161.0
SM16-16	52.47	52.88	0.035	5.7

HOLE ID	FROM (m)	TO (m)	Au (g/t)	Ag (g/t)
SM16-16	52.88	53.70	0.020	3.4
SM16-16	53.70	53.95	1.715	398.0
SM16-16	53.95	54.73	0.019	2.2
SM16-16	54.73	56.00	0.013	2.0
SM16-17	10.85	11.60	0.006	2.4
SM16-17	11.60	12.50	0.082	8.3
SM16-17	12.50	13.47	0.064	8.6
SM16-17	16.85	17.90	<0.005	2.1
SM16-17	17.90	18.25	0.009	2.8
SM16-17	18.25	18.90	<0.005	1.0
SM16-17	18.90	19.90	<0.005	5.6
SM16-17	35.66	37.50	0.013	2.4
SM16-17	37.50	38.37	0.034	3.3
SM16-17	38.37	39.18	0.011	2.8
SM16-17	39.18	39.87	<0.005	8.5
SM16-17	39.87	41.15	<0.005	5.7
SM16-17	41.15	41.45	0.008	1.0
SM16-17	41.45	42.35	<0.005	0.5
SM16-17	53.00	53.50	0.213	9.8
SM16-17	53.50	53.90	0.226	45.8
SM16-17	53.90	54.35	0.364	112.0
SM16-17	54.35	54.95	0.121	16.8
SM16-17	54.95	55.80	0.203	12.1
SM16-17	55.80	56.25	<0.005	1.2
SM16-17	66.73	67.85	0.005	17.7
SM16-17	67.85	68.78	0.096	6.1
SM16-17	68.78	69.69	0.007	4.1
SM16-17	69.69	70.80	0.005	12.1
SM16-17	70.80	71.00	0.013	1.8
SM16-17	71.00	72.24	0.006	3.6
SM16-17	72.24	73.06	0.016	5.4
SM16-17	73.06	73.61	0.014	17.5
SM16-18	0.00	2.70	0.118	16.3
SM16-18	2.70	3.70	0.020	21.5
SM16-18	3.70	5.26	0.019	23.8
SM16-18	15.90	16.80	0.007	1.0
SM16-18	16.80	17.50	0.009	1.3
SM16-18	17.50	18.45	0.008	2.0
SM16-18	18.45	18.95	0.007	1.9

HOLE ID	FROM (m)	TO (m)	Au (g/t)	Ag (g/t)
SM16-18	18.95	20.15	0.070	1.7
SM16-18	20.15	21.35	0.005	1.1
SM16-18	38.30	39.40	0.007	1.2
SM16-18	39.40	40.00	0.039	5.1
SM16-18	40.00	40.70	0.059	4.3
SM16-18	40.70	41.00	0.019	7.8
SM16-18	41.00	41.60	0.051	17.7
SM16-18	41.60	44.80	0.012	2.2
SM16-18	70.76	72.00	0.100	14.1
SM16-18	72.00	72.60	2.160	2380.0
SM16-18	72.60	72.80	1.355	227.0
SM16-18	72.80	73.44	0.776	394.0
SM16-18	73.44	73.64	0.367	55.9
SM16-18	73.64	74.54	0.056	14.5
SM16-18	74.54	75.15	0.056	21.3
SM16-18	75.15	76.70	0.133	31.3
SM16-18	76.70	78.20	0.100	32.8
SM16-18	78.20	78.55	0.113	53.0
SM16-18	78.55	79.80	0.423	342.0
SM16-18	79.80	80.80	0.107	40.7
SM16-18	80.80	81.60	0.084	4.7
SM16-18	81.60	83.00	0.005	0.8
SM16-19	36.00	36.75	0.006	1.4
SM16-19	36.75	37.32	0.136	39.0
SM16-19	37.32	37.80	0.061	7.9
SM16-19	37.80	38.40	0.039	5.9
SM16-19	38.40	38.95	0.028	10.2
SM16-19	38.95	40.35	0.031	1.5
SM16-19	48.77	49.75	<0.005	1.2
SM16-19	49.75	50.20	1.400	38.8
SM16-19	50.20	51.65	0.064	3.1
SM16-19	79.70	81.05	0.112	14.9
SM16-19	81.05	81.27	0.101	6.9
SM16-19	81.27	82.70	0.069	4.2
SM16-19	82.70	83.00	0.770	83.9
SM16-19	83.00	84.00	0.027	4.7
SM16-19	90.16	91.11	0.119	8.8
SM16-19	91.11	92.00	0.242	34.7
SM16-19	92.00	92.88	1.000	668.0

HOLE ID	FROM (m)	TO (m)	Au (g/t)	Ag (g/t)
SM16-19	92.88	93.15	1.625	874.0
SM16-19	93.15	93.75	1.580	209.0
SM16-19	93.75	94.95	0.275	13.0
SM16-20	0.00	1.20	0.014	3.7
SM16-20	1.20	3.55	0.057	8.6
SM16-20	3.55	4.30	0.161	21.8
SM16-20	4.30	5.06	0.006	7.0
SM16-20	5.06	5.89	0.011	31.0
SM16-20	8.96	9.34	0.026	3.3
SM16-20	9.34	10.20	0.082	55.5
SM16-20	10.20	10.50	0.155	22.3
SM16-20	12.61	12.90	0.014	3.0
SM16-20	12.90	13.85	0.032	4.7
SM16-20	13.85	14.67	0.025	2.6
SM16-20	14.67	15.88	0.038	3.0
SM16-20	31.55	31.95	<0.005	<0.5
SM16-20	31.95	32.40	0.128	9.1
SM16-20	32.40	32.90	0.024	2.7
SM16-20	35.92	36.55	<0.005	0.6
SM16-20	43.00	43.52	0.006	<0.5
SM16-20	43.52	43.81	0.005	4.3
SM16-20	43.81	44.33	0.007	1.3
SM16-20	46.40	47.15	0.008	1.3
SM16-21	1.20	2.30	<0.005	2.0
SM16-21	2.30	3.25	0.011	2.9
SM16-21	3.25	4.20	0.012	2.4
SM16-21	4.20	4.90	0.017	1.5
SM16-21	4.90	5.40	0.357	1.5
SM16-21	5.40	5.85	0.041	9.0
SM16-21	5.85	6.55	0.013	1.3
SM16-21	6.55	7.55	<0.005	1.1
SM16-21	39.00	40.00	<0.005	<0.5
SM16-21	40.00	41.50	0.014	7.0
SM16-21	41.50	41.85	0.116	16.8
SM16-21	41.85	42.25	0.069	7.9
SM16-21	42.25	43.05	0.006	1.2
SM16-21	80.85	81.90	0.013	1.4
SM16-21	81.90	82.35	0.037	9.3
SM16-21	82.35	82.93	0.019	2.2

HOLE ID	FROM (m)	TO (m)	Au (g/t)	Ag (g/t)
SM16-21	89.67	90.94	0.025	40.9
SM16-21	90.94	92.77	0.080	16.2
SM16-21	92.77	94.24	0.039	10.0
SM16-21	94.24	95.04	0.031	10.8
SM16-21	95.04	95.70	0.141	35.9
SM16-21	95.70	96.10	0.058	20.6
SM16-21	96.10	96.50	0.024	7.3
SM16-21	96.50	96.94	0.039	6.2
SM16-21	96.94	97.70	0.045	7.3
SM16-21	97.70	98.50	0.028	6.2
SM16-21	98.50	99.34	0.042	15.3
SM16-21	99.34	101.75	0.035	12.2
SM16-21	101.75	103.03	0.014	7.5
SM16-21	103.03	103.88	0.016	2.3
SM16-21	103.88	104.50	0.018	2.3
SM16-21	104.50	105.47	0.011	9.2
SM16-21	105.47	106.29	0.018	3.6
SM16-21	106.29	107.37	0.025	5.5
SM16-21	107.37	107.98	0.013	26.6
SM16-21	107.98	109.21	0.017	10.5
SM16-21	109.21	109.92	0.009	3.4
SM16-22	0.00	1.29	0.030	6.6
SM16-22	1.29	2.49	0.005	1.1
SM16-22	2.49	3.64	0.022	5.8
SM16-22	3.64	4.62	0.034	11.0
SM16-22	4.62	5.61	0.097	7.7
SM16-22	5.61	6.28	0.023	8.6
SM16-22	6.28	7.71	0.029	5.9
SM16-22	7.71	8.78	0.035	15.7
SM16-22	8.78	9.71	0.075	11.2
SM16-22	9.71	10.09	0.333	127.0
SM16-22	10.09	10.78	0.044	7.1
SM16-22	10.78	11.26	0.182	10.5
SM16-22	11.26	11.86	0.435	162.0
SM16-22	11.86	12.85	0.046	5.8
SM16-22	12.85	13.72	0.058	6.9
SM16-22	13.72	14.90	0.071	7.1
SM16-22	14.90	16.32	0.245	11.3
SM16-22	28.24	29.36	0.026	1.7

HOLE ID	FROM (m)	TO (m)	Au (g/t)	Ag (g/t)
SM16-22	29.36	29.91	0.159	10.4
SM16-22	29.91	30.88	0.035	3.2
SM16-22	57.89	58.78	0.005	1.0
SM16-22	58.78	59.73	<0.005	1.0
SM16-22	59.73	60.38	<0.005	0.7
SM16-22	78.52	79.32	<0.005	2.0
SM16-22	79.32	80.40	0.006	2.6
SM16-22	80.40	81.14	0.010	1.5
SM16-22	81.14	81.58	<0.005	1.6
SM16-22	95.03	95.80	0.354	122.0
SM16-22	95.80	97.30	0.152	5.3
SM16-22	97.30	97.94	0.504	819.0
SM16-22	97.94	98.90	1.220	25.6
SM16-22	98.90	99.55	0.167	7.3
SM16-22	99.55	100.27	0.183	26.3
SM16-22	100.27	100.80	0.139	4.3
SM16-22	100.80	101.78	0.309	61.5
SM16-22	101.78	102.33	0.216	30.9
SM16-22	102.32	103.26	0.330	52.8
SM16-22	103.26	104.50	1.115	222.0
SM16-22	104.50	105.53	0.166	3.4
SM16-22	105.53	106.30	0.411	10.4
SM16-22	106.30	106.78	0.354	10.0
SM16-22	106.78	107.20	0.340	18.1
SM16-22	107.20	107.64	0.167	7.4
SM16-22	107.64	107.90	3.740	298.0
SM16-22	107.90	108.88	1.500	34.3
SM16-22	108.88	109.56	0.453	23.6
SM16-22	109.56	110.37	1.260	47.0
SM16-22	110.37	111.30	0.794	17.6
SM16-22	111.30	111.86	0.632	9.5
SM16-22	111.86	112.06	0.808	9.1
SM16-22	112.06	112.65	0.315	11.9
SM16-22	112.65	113.68	0.006	3.9
SM16-22	120.31	120.65	0.007	0.7
SM16-22	120.65	121.32	0.009	4.2
SM16-22	121.32	121.68	0.017	4.1
SM16-23	0.00	0.95	0.042	39.8
SM16-23	0.95	1.87	0.103	72.4



HOLE ID	FROM (m)	TO (m)	Au (g/t)	Ag (g/t)
SM16-23	1.87	2.70	0.202	222.0
SM16-23	2.70	3.28	0.606	1230.0
SM16-23	3.28	4.00	0.519	364.0
SM16-23	4.00	5.20	0.048	8.3
SM16-23	35.68	36.78	0.074	8.5
SM16-23	36.78	37.17	0.102	5.7
SM16-23	37.17	38.21	0.048	2.7
SM16-23	54.17	55.17	0.110	5.2
SM16-23	55.17	55.62	0.717	644.0
SM16-23	55.62	57.10	0.178	19.8
SM16-23	57.10	57.85	0.760	60.8
SM16-23	57.85	59.00	0.490	71.5
SM16-23	59.00	60.12	0.145	13.5
SM16-23	60.12	60.92	0.045	7.9
SM16-23	60.92	61.67	0.082	5.1
SM16-23	61.67	62.02	1.065	320.0
SM16-23	62.02	63.00	0.349	141.0
SM16-23	63.00	63.80	1.295	484.0
SM16-23	63.80	64.65	0.303	25.0
SM16-23	64.65	65.21	0.588	109.0
SM16-23	65.21	66.30	0.113	18.8
SM16-24	13.49	14.38	<0.005	2.0
SM16-24	14.38	14.65	0.008	1.2
SM16-24	14.65	15.64	<0.005	1.2
SM16-24	20.55	21.14	0.007	2.6
SM16-24	21.14	21.36	0.032	1.9
SM16-24	21.36	22.11	0.005	1.8
SM16-24	28.72	29.50	0.034	1.9
SM16-24	29.50	30.25	0.005	1.1
SM16-24	30.25	30.98	<0.005	1.6
SM16-24	34.14	34.69	0.009	2.4
SM16-24	34.69	35.11	0.019	6.6
SM16-24	35.11	35.60	0.023	2.5
SM16-24	35.60	36.52	0.016	2.5
SM16-24	36.52	36.87	0.052	3.3
SM16-24	36.87	37.72	0.018	2.6
SM16-24	37.72	38.16	0.009	2.3
SM16-24	38.16	39.29	<0.005	1.6
SM16-24	45.36	46.30	0.005	1.5

HOLE ID	FROM (m)	TO (m)	Au (g/t)	Ag (g/t)
SM16-24	46.30	46.77	0.006	1.0
SM16-24	46.77	47.09	0.013	2.0
SM16-24	56.77	57.84	0.011	2.1
SM16-24	57.84	58.10	0.009	9.7
SM16-24	58.10	58.85	0.005	2.4

### Collar Location and Inclination; Downhole Survey

HOLE ID	EASTING*	NORTHING*	ELEV (m)	LENGTH (m)
SM16-01	426123.24	2959918.46	1899.61	171.56
SM16-02	426121.43	2959916.37	1899.73	91.00
SM16-03	426121.02	2959916.94	1899.47	115.50
SM16-04	426120.19	2959917.12	1899.47	106.20
SM16-05	426121.55	2959916.73	1899.47	104.80
SM16-06	426159.56	2959926.93	1904.42	60.00
SM16-07	426160.59	2959930.37	1903.77	96.00
SM16-08	426160.80	2959929.60	1904.24	81.20
SM16-09	426160.25	2959928.35	1904.06	98.70
SM16-10	426159.35	2959927.75	1904.31	87.00
SM16-11	426293.47	2959959.90	1896.69	63.00
SM16-12	426293.94	2959962.55	1894.38	69.00
SM16-13	426289.82	2959961.31	1895.40	63.65
SM16-14	426294.75	2959964.19	1895.52	101.00
SM16-15	426288.80	2959963.01	1894.87	102.00
SM16-16	426353.39	2959983.75	1885.00	60.00
SM16-17	426355.57	2959985.65	1884.54	86.00
SM16-18	426357.01	2959984.82	1884.97	83.00
SM16-19	426356.60	2959986.81	1884.68	99.00
SM16-20	426119.61	2959922.26	1903.47	50.10
SM16-21	426353.57	2959984.85	1884.55	122.50
SM16-22	426160.14	2959930.55	1903.87	123.00
SM16-23	426291.52	2959961.17	1894.66	90.00
SM16-24	426293.46	2959965.83	1894.64	60.00
*UTM NAD 27 Zone 13				

HOLE ID	DEPTH (m)	AZIMUTH*	DIP
SM16-01	0.00	158.43	-68.41
SM16-01	50.00	164.90	-72.40
SM16-01	100.00	164.60	-72.30
SM16-01	150.00	168.40	-72.70
SM16-01	171.56	168.60	-72.60
SM16-02	0.00	208.10	-26.06
SM16-02	50.00	210.90	-29.30
SM16-02	91.00	209.50	-29.00
SM16-03	0.00	221.09	-62.00
SM16-04	0.00	244.00	-46.73
SM16-04	50.00	247.50	-48.50
SM16-04	106.20	247.90	-47.60
SM16-05	0.00	202.88	-41.00
SM16-05	50.00	204.30	-40.80
SM16-05	100.00	204.50	-39.70
SM16-06	0.00	152.40	-43.20
SM16-07	0.00	104.40	-52.80
SM16-08	0.00	121.50	-30.30
SM16-09	0.00	123.10	-66.50
SM16-09	15.00	127.90	-68.60
SM16-10	0.00	150.90	-67.00
SM16-10	67.00	163.10	-66.50
SM16-11	0.00	158.00	-54.00
SM16-11	53.00	161.70	-52.90
SM16-12	0.00	119.90	-37.30
SM16-13	0.00	195.90	-28.10
SM16-14	0.00	100.00	-60.00
SM16-15	0.00	233.80	-64.60
SM16-16	0.00	186.88	-35.00
SM16-17	0.00	130.49	-64.00
SM16-17	15.00	132.20	-64.20
SM16-17	70.00	132.20	-63.80
SM16-18	0.00	126.94	-29.00
SM16-18	15.00	127.90	-29.60
SM16-18	70.00	128.60	-29.10
SM16-19	0.00	99.36	-52.00
SM16-20	50.00	354.40	0.40
SM16-20	0.00	347.06	0.00
SM16-21	0.00	183.87	-63.00
SM16-21	15.00	187.20	-63.20

HOLE ID	DEPTH (m)	AZIMUTH*	DIP
SM16-21	110.00	189.60	-60.50
SM16-22	0.00	80.58	-66.00
SM16-23	0.00	176.83	-66.00
SM16-24	0.00	31.32	-43.00

\*relative to true north