

Rodeo Project 2016 Drilling Results

Collars

Hole ID	Easting (m)	Northing (m)	Elevation (m)	Length (m)	Type
RDO16-01	548686	2781615	1465	89.40	Drillhole
RDO16-02	548693	2781591	1462	112.50	Drillhole
RDO16-03	548702	2781572	1459	119.10	Drillhole
RDO16-04	548721	2781538	1454	100.00	Drillhole
RDO16-05	548716	2781511	1453	46.70	Drillhole
RDO16-06	548715	2781509	1453	34.00	Drillhole
RDO16-07	548716	2781509	1453	91.00	Drillhole
RDO16-08	548747	2781487	1450	106.50	Drillhole
RDO16-09	548748	2781461	1449	91.50	Drillhole
RDO16-10	548748	2781435	1449	201.00	Drillhole
RDO16-11	548666	2781645	1470	155.50	Drillhole
RDO16-12	548620	2781653	1480	157.00	Drillhole
RDO16-13	548510	2781402	1419	380.00	Drillhole
RDO16-14	548825	2781344	1435	399.50	Drillhole

Projection: UTM Zone 13N (NAD27)

Assays

Hole ID	From (m)	To (m)	Width (m)	Au (g/t)	Ag (g/t)
RDO16-01	8.3	9.2	0.9	0.1	0.0
RDO16-01	9.2	10.0	0.8	0.0	0.0
RDO16-01	10.0	11.4	1.4	0.1	0.0
RDO16-01	11.4	12.6	1.2	0.1	0.0
RDO16-01	12.6	13.3	0.7	0.1	1.5
RDO16-01	13.3	14.4	1.1	0.1	1.4
RDO16-01	14.4	15.5	1.1	0.0	0.0
RDO16-01	15.5	16.2	0.7	0.3	2.8
RDO16-01	16.2	17.5	1.3	0.2	2.2
RDO16-01	17.5	18.7	1.2	0.0	0.0
RDO16-01	18.7	19.7	1.1	0.1	0.0
RDO16-01	19.7	20.9	1.2	0.1	0.0
RDO16-01	20.9	22.1	1.2	0.1	0.9
RDO16-01	22.1	23.4	1.3	0.1	1.1
RDO16-01	23.4	25.4	2.0	0.4	2.9
RDO16-01	25.4	26.6	1.2	0.3	2.7
RDO16-01	26.6	28.0	1.4	0.2	1.0
RDO16-01	28.0	29.7	1.7	0.4	3.6
RDO16-01	29.7	31.2	1.5	0.2	1.1
RDO16-01	31.2	32.0	0.8	0.2	0.8
RDO16-01	32.0	32.9	0.9	0.3	1.6
RDO16-01	32.9	33.6	0.7	2.5	9.5
RDO16-01	33.6	34.5	0.9	2.3	7.7
RDO16-01	34.5	35.8	1.3	0.7	4.0
RDO16-01	35.8	36.8	1.0	0.2	3.5
RDO16-01	36.8	38.0	1.2	0.7	3.6
RDO16-01	38.0	38.8	0.8	0.3	1.3
RDO16-01	38.8	39.5	0.7	1.2	9.5

RDO16-01	39.5	40.5	1.0	2.1	22.7
RDO16-01	40.5	42.3	1.8	1.1	12.8
RDO16-01	42.3	43.4	1.1	1.5	16.8
RDO16-01	43.4	44.4	1.0	0.2	2.6
RDO16-01	49.5	49.9	0.4	0.2	2.2
RDO16-01	49.9	50.6	0.7	0.3	2.3
RDO16-01	50.6	52.2	1.6	0.2	3.1
RDO16-01	52.2	53.4	1.3	0.4	6.4
RDO16-01	53.4	54.0	0.6	1.7	24.9
RDO16-01	54.0	54.9	0.9	0.4	4.6
RDO16-01	54.9	55.9	1.0	0.3	4.5
RDO16-01	55.9	56.8	0.9	0.4	5.1
RDO16-01	56.8	58.2	1.4	0.6	16.8
RDO16-01	58.2	59.6	1.5	0.3	7.8
RDO16-01	59.6	60.6	1.0	0.6	21.4
RDO16-01	60.6	61.2	0.6	0.5	17.2
RDO16-01	61.2	62.3	1.1	0.3	10.8
RDO16-01	62.3	63.2	0.9	0.2	6.6
RDO16-01	63.2	64.0	0.8	0.5	10.6
RDO16-01	64.0	65.5	1.5	0.9	32.9
RDO16-01	65.5	66.6	1.1	0.4	8.8
RDO16-01	66.6	67.6	1.0	1.4	48.0
RDO16-01	67.6	67.9	0.3	1.0	24.1
RDO16-01	67.9	68.4	0.5	0.4	11.2
RDO16-01	68.4	70.0	1.6	0.5	11.6
RDO16-01	70.0	71.4	1.4	0.3	75.8
RDO16-01	71.4	72.8	1.4	0.4	35.7
RDO16-01	72.8	74.4	1.6	0.1	5.9
RDO16-01	74.4	75.8	1.4	0.1	3.3
RDO16-01	75.8	77.0	1.2	0.2	13.3
RDO16-01	77.0	78.0	1.0	0.5	98.3
RDO16-01	78.0	78.8	0.8	1.0	51.7
RDO16-01	80.4	81.0	0.6	0.1	23.3
RDO16-01	81.0	81.5	0.5	0.2	81.2
RDO16-01	83.4	83.8	0.3	0.2	52.3
RDO16-01	83.8	85.0	1.2	0.2	11.6
RDO16-01	85.0	86.2	1.3	0.2	17.9
RDO16-01	86.2	87.0	0.8	0.3	4.6
RDO16-01	87.0	87.9	0.9	0.2	34.4
RDO16-01	87.9	89.4	1.5	0.2	6.2
RDO16-02	9.1	10.3	1.2	0.1	0.5
RDO16-02	10.3	11.8	1.5	0.0	0.0
RDO16-02	11.8	13.0	1.2	0.3	1.0
RDO16-02	13.0	14.3	1.3	0.5	1.0
RDO16-02	14.3	16.0	1.8	1.0	1.2
RDO16-02	16.0	17.5	1.5	1.0	2.6
RDO16-02	17.5	18.8	1.3	0.6	3.1
RDO16-02	18.8	20.5	1.7	0.5	3.1
RDO16-02	20.5	22.3	1.8	2.5	4.0
RDO16-02	22.5	23.5	1.0	2.2	3.8

RDO16-02	23.5	24.8	1.3	0.2	1.6
RDO16-02	24.8	25.9	1.1	0.4	3.3
RDO16-02	25.9	27.3	1.4	1.9	5.8
RDO16-02	27.3	28.9	1.6	1.1	2.3
RDO16-02	28.9	29.5	0.6	0.5	3.7
RDO16-02	29.5	31.0	1.5	0.6	5.8
RDO16-02	31.0	32.5	1.5	0.5	4.8
RDO16-02	32.5	33.0	0.5	1.6	18.7
RDO16-02	33.0	34.3	1.3	0.6	6.5
RDO16-02	34.3	35.6	1.4	0.6	4.6
RDO16-02	35.6	36.7	1.1	1.9	16.1
RDO16-02	36.7	37.6	0.9	1.5	23.8
RDO16-02	37.6	38.5	0.9	1.9	37.9
RDO16-02	38.5	40.0	1.5	1.1	13.2
RDO16-02	40.0	41.1	1.1	1.2	8.9
RDO16-02	41.1	42.0	0.9	0.9	10.5
RDO16-02	42.0	43.1	1.1	0.8	9.4
RDO16-02	43.1	44.5	1.4	0.8	11.6
RDO16-02	44.5	45.3	0.8	0.5	5.6
RDO16-02	45.3	46.1	0.8	0.1	1.5
RDO16-02	46.1	47.5	1.4	0.2	2.3
RDO16-02	47.5	48.6	1.1	0.2	2.4
RDO16-02	48.6	50.0	1.4	0.1	1.1
RDO16-02	50.0	50.5	0.5	0.9	12.8
RDO16-02	50.5	51.6	1.1	0.9	10.3
RDO16-02	51.6	52.6	1.0	0.3	4.9
RDO16-02	52.6	53.3	0.7	0.9	10.8
RDO16-02	53.3	54.8	1.5	1.1	11.7
RDO16-02	54.8	55.3	0.5	0.4	11.8
RDO16-02	55.3	56.4	1.1	3.6	27.7
RDO16-02	56.4	57.5	1.2	3.0	46.1
RDO16-02	57.5	58.1	0.6	1.1	30.4
RDO16-02	58.1	59.4	1.3	3.4	68.0
RDO16-02	59.4	60.5	1.1	1.9	157
RDO16-02	60.5	61.3	0.8	0.3	10.2
RDO16-02	61.3	62.3	1.0	0.5	18.6
RDO16-02	62.3	63.5	1.2	0.7	165
RDO16-02	63.5	65.0	1.5	1.0	54.1
RDO16-02	65.0	65.5	0.5	0.5	17.1
RDO16-02	65.5	66.8	1.3	0.2	11.9
RDO16-02	66.8	68.1	1.3	0.2	6.4
RDO16-02	68.1	69.5	1.4	0.2	9.7
RDO16-02	69.5	70.3	0.8	0.1	15.0
RDO16-02	70.3	71.3	1.0	0.4	32.1
RDO16-02	71.3	72.4	1.1	0.1	20.3
RDO16-02	72.4	73.4	1.1	0.1	7.7
RDO16-02	73.4	74.5	1.1	0.1	8.8
RDO16-02	74.5	76.0	1.5	0.1	14.0
RDO16-02	76.0	77.5	1.5	0.4	31.9
RDO16-02	77.5	79.0	1.5	0.6	69.3

RDO16-02	79.0	80.5	1.5	0.1	15.6
RDO16-02	80.5	82.0	1.5	0.1	11.2
RDO16-02	82.0	83.5	1.5	0.1	19.2
RDO16-02	83.5	84.9	1.4	0.2	15.7
RDO16-02	84.9	86.1	1.2	0.1	13.2
RDO16-02	86.1	86.9	0.8	0.1	38.3
RDO16-02	86.9	88.2	1.3	0.1	16.1
RDO16-02	88.2	89.5	1.3	0.1	109
RDO16-02	89.5	90.6	1.1	0.2	82.5
RDO16-02	90.6	91.6	1.0	0.1	30.0
RDO16-02	91.6	92.5	0.9	0.1	19.4
RDO16-02	92.5	93.9	1.4	0.1	37.8
RDO16-02	93.9	94.9	1.0	0.1	21.9
RDO16-02	94.9	95.4	0.4	0.1	9.3
RDO16-02	95.4	95.8	0.5	0.2	22.2
RDO16-02	95.8	97.0	1.2	0.1	2.9
RDO16-02	97.0	98.5	1.5	0.2	10.8
RDO16-02	98.5	100.0	1.5	0.2	29.7
RDO16-02	100.0	101.5	1.5	0.2	25.7
RDO16-02	101.5	102.6	1.1	0.2	16.0
RDO16-02	102.6	103.1	0.5	0.1	5.1
RDO16-02	103.1	104.5	1.4	0.1	6.0
RDO16-02	104.5	106.3	1.8	0.1	16.3
RDO16-02	106.3	108.0	1.7	0.1	5.8
RDO16-02	108.0	109.3	1.3	0.2	34.9
RDO16-02	109.3	109.8	0.5	0.1	7.6
RDO16-02	109.8	110.5	0.7	0.1	29.0
RDO16-02	110.5	112.5	2.0	0.1	11.7
RDO16-03	15.5	16.3	0.8	0.0	0.0
RDO16-03	16.3	17.0	0.7	0.3	2.9
RDO16-03	17.0	17.6	0.6	0.2	0.8
RDO16-03	17.6	18.7	1.2	0.2	1.7
RDO16-03	18.7	19.8	1.1	0.1	1.6
RDO16-03	19.8	20.8	1.0	0.1	1.2
RDO16-03	20.8	21.8	0.9	0.3	1.9
RDO16-03	21.8	22.6	0.9	0.4	2.1
RDO16-03	22.6	23.4	0.8	0.9	4.8
RDO16-03	23.4	24.1	0.7	0.7	4.3
RDO16-03	24.1	26.1	2.0	0.6	6.2
RDO16-03	26.1	26.6	0.5	1.0	6.5
RDO16-03	26.6	27.3	0.7	1.7	7.6
RDO16-03	27.3	28.4	1.1	0.4	2.2
RDO16-03	28.4	29.5	1.1	0.9	2.2
RDO16-03	29.5	30.6	1.1	0.5	2.4
RDO16-03	30.6	31.2	0.6	0.3	2.1
RDO16-03	31.2	31.9	0.7	0.4	2.8
RDO16-03	31.9	32.5	0.6	0.5	3.5
RDO16-03	32.5	33.7	1.2	0.4	2.1
RDO16-03	33.7	34.9	1.2	0.7	3.2
RDO16-03	34.9	36.5	1.6	0.1	0.0

RDO16-03	36.5	37.0	0.5	0.7	12.1
RDO16-03	37.0	37.6	0.6	2.0	22.4
RDO16-03	37.6	38.7	1.1	3.5	43.0
RDO16-03	38.7	39.8	1.1	1.4	15.4
RDO16-03	39.8	40.1	0.3	0.5	3.2
RDO16-03	40.1	40.8	0.7	1.3	15.9
RDO16-03	40.8	41.6	0.8	0.8	6.9
RDO16-03	41.6	42.5	0.9	0.2	0.6
RDO16-03	42.5	45.2	2.7	0.6	4.8
RDO16-03	45.2	46.0	0.8	0.6	11.9
RDO16-03	46.0	47.3	1.3	0.4	6.3
RDO16-03	47.3	48.5	1.2	0.1	1.1
RDO16-03	48.5	49.6	1.1	0.2	7.1
RDO16-03	49.6	50.7	1.1	0.5	2.9
RDO16-03	50.7	52.1	1.4	0.8	14.9
RDO16-03	52.1	52.7	0.6	0.9	6.6
RDO16-03	52.7	54.5	1.8	0.3	7.0
RDO16-03	54.5	55.7	1.2	1.3	23.0
RDO16-03	55.7	57.1	1.5	0.8	19.7
RDO16-03	57.1	57.7	0.5	0.5	20.4
RDO16-03	57.7	58.2	0.5	0.3	8.3
RDO16-03	58.2	59.3	1.1	1.3	23.7
RDO16-03	59.3	61.4	2.1	0.4	15.7
RDO16-03	61.4	62.7	1.3	0.2	6.3
RDO16-03	62.7	63.8	1.2	1.0	57.6
RDO16-03	63.8	65.0	1.2	0.1	3.7
RDO16-03	65.0	66.7	1.7	0.4	15.1
RDO16-03	66.7	67.8	1.2	0.1	1.3
RDO16-03	67.8	69.3	1.5	0.1	4.7
RDO16-03	69.3	71.0	1.7	0.4	39.5
RDO16-03	71.0	72.7	1.7	0.8	39.8
RDO16-03	72.7	73.2	0.5	1.6	148
RDO16-03	73.2	74.4	1.1	0.3	17.3
RDO16-03	74.4	74.8	0.4	0.8	31.4
RDO16-03	74.8	75.3	0.5	0.2	6.8
RDO16-03	75.3	76.2	0.9	0.1	2.6
RDO16-03	76.2	77.2	1.1	0.1	3.2
RDO16-03	77.2	77.8	0.6	0.3	27.8
RDO16-03	77.8	78.6	0.8	0.0	5.0
RDO16-03	78.6	79.7	1.1	0.2	22.2
RDO16-03	79.7	80.6	0.9	0.2	23.1
RDO16-03	80.6	81.8	1.2	0.1	12.7
RDO16-03	81.8	82.6	0.8	0.1	30.1
RDO16-03	82.6	83.5	0.8	0.1	15.8
RDO16-03	83.5	85.1	1.6	0.1	14.0
RDO16-03	85.1	86.1	1.0	0.2	51.7
RDO16-03	86.1	87.7	1.6	0.1	27.1
RDO16-03	87.7	88.0	0.3	0.3	2.5
RDO16-03	88.0	88.6	0.5	0.1	34.4
RDO16-03	88.6	89.7	1.1	0.1	11.5

RDO16-03	89.7	91.7	2.1	0.2	21.4
RDO16-03	91.7	92.7	1.0	0.1	4.7
RDO16-03	92.7	94.0	1.3	0.1	4.0
RDO16-03	95.2	96.1	0.9	0.2	12.7
RDO16-03	96.1	96.7	0.7	0.2	17.6
RDO16-03	96.7	97.7	1.0	0.1	64.3
RDO16-03	97.7	98.8	1.1	0.2	10.0
RDO16-03	98.8	99.8	1.0	0.1	6.2
RDO16-03	99.8	100.6	0.8	0.2	7.6
RDO16-03	100.6	101.0	0.4	0.1	19.7
RDO16-03	101.0	101.7	0.7	0.1	5.6
RDO16-03	101.7	102.4	0.7	0.3	25.1
RDO16-03	102.4	103.2	0.7	0.3	12.6
RDO16-03	103.2	104.7	1.6	0.0	8.4
RDO16-03	104.7	105.5	0.8	0.1	8.3
RDO16-03	105.5	105.8	0.3	0.0	67.3
RDO16-03	105.8	106.7	1.0	0.3	10.3
RDO16-03	106.7	108.0	1.3	0.0	7.7
RDO16-03	108.0	109.3	1.3	0.1	13.5
RDO16-03	109.3	110.8	1.5	0.1	7.4
RDO16-03	110.8	112.2	1.4	0.1	3.1
RDO16-03	112.2	113.7	1.5	0.1	1.8
RDO16-03	113.7	114.9	1.1	0.0	3.5
RDO16-03	114.9	115.4	0.5	0.1	3.9
RDO16-03	115.4	116.0	0.6	0.1	9.8
RDO16-03	116.0	116.6	0.7	0.1	1.8
RDO16-03	116.6	117.9	1.3	0.1	4.6
RDO16-03	117.9	119.1	1.2	0.1	2.1
RDO16-04	14.6	15.6	1.0	0.2	2.7
RDO16-04	15.6	16.9	1.3	0.4	1.5
RDO16-04	16.9	18.1	1.3	0.7	2.8
RDO16-04	18.1	18.6	0.5	2.9	9.9
RDO16-04	18.6	19.7	1.1	1.3	6.7
RDO16-04	19.7	21.1	1.4	1.0	5.9
RDO16-04	21.1	21.9	0.8	0.3	0.6
RDO16-04	21.9	23.3	1.4	0.4	2.7
RDO16-04	23.3	23.9	0.6	1.1	15.3
RDO16-04	23.9	25.0	1.1	0.2	8.2
RDO16-04	25.0	26.8	1.8	0.1	3.4
RDO16-04	26.8	27.8	0.9	0.3	3.1
RDO16-04	27.8	29.0	1.3	0.9	3.6
RDO16-04	29.0	29.4	0.4	1.3	35.3
RDO16-04	29.4	30.0	0.6	1.9	16.9
RDO16-04	30.0	31.0	1.1	0.5	3.4
RDO16-04	31.0	32.3	1.3	2.7	17.7
RDO16-04	32.3	33.8	1.5	1.1	14.1
RDO16-04	33.8	36.6	2.8	2.8	4.3
RDO16-04	36.6	38.2	1.6	0.9	12.0
RDO16-04	38.2	40.3	2.2	1.5	12.0
RDO16-04	40.3	41.6	1.3	1.5	11.9

RDO16-04	41.6	42.5	0.9	0.8	21.7
RDO16-04	42.5	43.8	1.3	1.3	17.7
RDO16-04	43.8	45.1	1.3	1.0	15.1
RDO16-04	45.1	46.0	0.9	0.5	29.4
RDO16-04	46.0	47.3	1.3	0.5	7.4
RDO16-04	47.3	47.9	0.6	1.4	34.7
RDO16-04	47.9	48.3	0.4	0.7	12.3
RDO16-04	48.3	49.2	0.9	0.8	23.4
RDO16-04	49.2	50.2	1.0	1.0	22.6
RDO16-04	50.2	51.5	1.4	1.1	22.2
RDO16-04	51.5	52.1	0.5	0.3	4.1
RDO16-04	52.1	52.6	0.6	1.1	21.4
RDO16-04	52.6	53.6	1.0	0.3	2.4
RDO16-04	53.6	53.9	0.3	0.7	16.5
RDO16-04	53.9	55.3	1.4	0.1	0.8
RDO16-04	55.3	56.3	1.1	1.0	29.2
RDO16-04	56.3	57.2	0.9	0.5	18.8
RDO16-04	58.2	58.4	0.2	0.5	23.0
RDO16-04	59.4	59.5	0.1	0.3	9.5
RDO16-04	59.5	60.3	0.8	0.2	5.1
RDO16-04	60.3	61.6	1.4	0.5	26.1
RDO16-04	61.6	63.0	1.4	0.4	23.0
RDO16-04	63.0	64.4	1.4	0.2	4.3
RDO16-04	65.4	65.5	0.1	0.2	4.5
RDO16-04	65.5	66.0	0.5	0.1	14.5
RDO16-04	66.0	67.1	1.1	0.4	11.7
RDO16-04	67.1	68.6	1.6	0.2	2.6
RDO16-04	68.6	70.0	1.4	0.4	38.2
RDO16-04	70.0	71.5	1.5	0.2	10.7
RDO16-04	71.5	72.5	1.0	2.9	56.7
RDO16-04	72.5	73.8	1.3	0.8	47.4
RDO16-04	73.8	75.6	1.8	0.4	35.1
RDO16-04	75.6	76.3	0.8	0.3	22.7
RDO16-04	76.3	77.7	1.4	0.3	16.9
RDO16-04	77.7	79.2	1.5	0.3	43.0
RDO16-04	79.2	80.5	1.3	0.2	20.7
RDO16-04	80.5	81.1	0.6	0.3	22.3
RDO16-04	81.1	81.7	0.6	0.7	18.4
RDO16-04	81.7	83.3	1.6	0.5	53.2
RDO16-04	83.3	84.8	1.5	0.2	86.1
RDO16-04	84.8	86.2	1.4	0.3	14.6
RDO16-04	86.2	87.7	1.5	0.4	38.6
RDO16-04	87.7	88.6	0.9	0.2	50.2
RDO16-04	88.6	89.5	0.9	0.1	81.8
RDO16-04	89.5	90.3	0.8	0.2	38.5
RDO16-04	90.3	91.3	1.0	0.2	20.1
RDO16-04	91.3	92.5	1.3	0.1	21.2
RDO16-04	92.5	93.5	1.0	0.0	5.6
RDO16-04	93.5	94.5	1.0	0.1	23.8
RDO16-04	94.5	95.5	1.0	0.0	6.7

RDO16-04	95.5	96.3	0.8	0.0	3.6
RDO16-04	96.3	97.0	0.8	0.1	16.2
RDO16-04	97.0	98.2	1.2	0.1	19.6
RDO16-04	98.2	99.3	1.1	0.1	9.7
RDO16-04	99.3	100.0	0.7	0.1	10.8
RDO16-05	4.0	5.7	1.7	0.1	0.0
RDO16-05	5.7	7.0	1.4	0.1	0.0
RDO16-05	7.0	8.2	1.2	0.3	0.0
RDO16-05	8.2	10.0	1.8	0.4	0.7
RDO16-05	10.0	11.5	1.5	0.2	0.6
RDO16-05	11.5	13.0	1.5	0.4	1.0
RDO16-05	13.0	14.1	1.1	1.2	1.9
RDO16-05	14.1	15.5	1.4	1.3	2.6
RDO16-05	15.5	16.6	1.1	2.1	4.3
RDO16-05	16.6	17.7	1.1	2.4	6.0
RDO16-05	17.7	19.0	1.3	1.0	3.8
RDO16-05	19.0	20.3	1.3	4.5	8.2
RDO16-05	20.3	21.7	1.4	1.9	9.2
RDO16-05	21.7	22.8	1.1	1.1	6.3
RDO16-05	22.8	23.7	0.9	0.3	1.5
RDO16-05	23.7	24.8	1.1	0.9	4.7
RDO16-05	24.8	25.8	1.0	1.1	3.8
RDO16-05	25.8	27.2	1.5	1.3	4.5
RDO16-05	27.2	28.0	0.8	7.1	34.6
RDO16-05	28.0	29.5	1.5	3.5	10.9
RDO16-05	29.5	30.8	1.3	1.2	0.7
RDO16-05	30.8	32.2	1.4	1.1	7.9
RDO16-05	32.2	32.9	0.7	0.3	1.2
RDO16-05	32.9	34.0	1.1	0.3	3.6
RDO16-05	34.0	35.3	1.3	0.2	1.0
RDO16-05	35.3	36.4	1.1	0.2	1.9
RDO16-05	36.4	36.9	0.5	0.7	8.9
RDO16-05	36.9	37.3	0.4	0.2	1.5
RDO16-05	37.3	38.5	1.3	3.2	4.3
RDO16-05	38.5	40.0	1.5	1.0	8.0
RDO16-05	40.0	41.2	1.2	0.4	11.1
RDO16-05	41.2	43.0	1.8	0.5	7.6
RDO16-05	43.0	44.5	1.5	0.3	8.9
RDO16-05	44.5	46.0	1.5	1.2	17.1
RDO16-05	46.0	46.7	0.7	3.2	5.4
RDO16-06	9.3	10.5	1.2	0.2	0.0
RDO16-06	10.5	11.5	1.0	0.5	1.6
RDO16-06	11.5	12.7	1.2	2.4	3.1
RDO16-06	12.7	13.5	0.8	0.4	2.6
RDO16-06	13.5	14.8	1.3	2.2	4.1
RDO16-06	14.8	16.0	1.2	1.1	5.1
RDO16-06	16.0	17.0	1.0	0.6	2.3
RDO16-06	17.0	18.0	1.0	6.6	12.3
RDO16-06	18.0	19.0	1.0	4.6	24.6
RDO16-06	19.0	19.9	0.9	1.5	13.2

RDO16-06	19.9	20.5	0.6	1.0	6.7
RDO16-06	20.5	21.7	1.2	2.1	4.6
RDO16-06	21.7	22.3	0.6	5.1	1.6
RDO16-06	22.3	23.6	1.4	1.7	5.3
RDO16-06	23.6	25.0	1.4	1.7	4.6
RDO16-06	25.0	26.7	1.7	2.1	2.4
RDO16-06	26.7	28.0	1.3	6.0	23.8
RDO16-06	28.0	29.4	1.4	2.1	19.2
RDO16-06	29.4	31.0	1.6	1.0	12.5
RDO16-06	31.0	32.5	1.5	0.8	8.9
RDO16-06	32.5	34.0	1.5	0.5	6.4
RDO16-07	8.4	9.8	1.4	0.2	0.0
RDO16-07	9.8	10.9	1.1	2.8	6.5
RDO16-07	10.9	11.8	0.9	0.5	1.3
RDO16-07	11.8	13.0	1.2	0.4	1.5
RDO16-07	13.0	14.0	1.0	0.8	0.8
RDO16-07	14.0	14.9	0.9	0.4	0.8
RDO16-07	14.9	16.0	1.1	1.7	5.2
RDO16-07	16.0	17.5	1.5	3.5	9.8
RDO16-07	17.5	19.0	1.5	2.4	6.2
RDO16-07	19.0	20.5	1.5	4.5	11.7
RDO16-07	20.5	22.0	1.5	3.7	5.4
RDO16-07	22.0	23.5	1.5	1.1	2.7
RDO16-07	23.5	25.0	1.5	1.1	6.4
RDO16-07	25.0	26.7	1.7	0.9	4.6
RDO16-07	26.7	28.0	1.3	0.2	0.0
RDO16-07	28.0	28.7	0.7	0.2	0.0
RDO16-07	28.7	29.7	1.0	0.3	1.2
RDO16-07	29.7	30.4	0.7	0.4	1.2
RDO16-07	30.4	31.8	1.4	0.2	0.6
RDO16-07	31.8	34.0	2.2	1.0	6.9
RDO16-07	34.0	34.5	0.5	1.2	6.3
RDO16-07	34.5	35.3	0.8	0.3	3.9
RDO16-07	35.3	35.8	0.5	0.3	1.1
RDO16-07	35.8	37.0	1.2	1.4	9.7
RDO16-07	37.0	38.3	1.3	0.7	14.3
RDO16-07	38.3	40.2	1.9	1.5	23.9
RDO16-07	40.2	41.3	1.1	0.9	11.2
RDO16-07	41.3	42.8	1.5	0.2	11.0
RDO16-07	42.8	44.1	1.3	0.1	6.9
RDO16-07	44.1	45.6	1.5	0.9	13.5
RDO16-07	45.6	47.0	1.4	0.9	23.9
RDO16-07	47.0	48.0	1.0	3.0	45.2
RDO16-07	48.0	49.0	1.0	1.0	12.8
RDO16-07	49.0	50.0	1.0	0.8	17.2
RDO16-07	50.0	50.9	0.9	2.3	38.7
RDO16-07	50.9	51.8	0.9	0.2	12.2
RDO16-07	51.8	53.3	1.5	0.8	9.4
RDO16-07	53.3	54.8	1.5	0.5	10.0
RDO16-07	54.8	55.5	0.7	0.1	3.0

RDO16-07	55.5	57.1	1.6	0.3	8.7
RDO16-07	57.1	58.7	1.6	0.3	8.0
RDO16-07	58.7	60.0	1.3	0.2	9.4
RDO16-07	60.0	60.9	0.9	0.3	4.7
RDO16-07	60.9	62.6	1.7	0.6	8.1
RDO16-07	62.6	63.5	0.9	0.6	26.0
RDO16-07	63.5	64.4	0.9	0.1	2.9
RDO16-07	64.4	65.9	1.5	0.2	4.1
RDO16-07	65.9	67.4	1.5	0.2	16.7
RDO16-07	67.4	68.5	1.1	0.2	11.6
RDO16-07	68.5	70.0	1.5	0.4	48.6
RDO16-07	70.0	71.5	1.5	0.4	127
RDO16-07	71.5	73.0	1.5	0.3	35.6
RDO16-07	73.0	74.5	1.5	0.1	40.7
RDO16-07	74.5	76.0	1.5	0.1	19.4
RDO16-07	76.0	77.2	1.2	0.1	14.1
RDO16-07	77.2	79.0	1.8	0.1	23.3
RDO16-07	79.0	80.5	1.5	0.1	36.1
RDO16-07	80.5	82.0	1.5	0.1	7.5
RDO16-07	82.0	83.6	1.6	0.2	15.1
RDO16-07	83.6	85.8	2.2	0.2	11.3
RDO16-07	85.8	88.0	2.2	0.1	12.7
RDO16-07	88.0	89.5	1.5	0.2	5.1
RDO16-07	89.5	91.0	1.5	0.1	5.1
RDO16-08	11.6	13.2	1.6	0.3	0.0
RDO16-08	13.2	13.8	0.6	0.7	0.0
RDO16-08	13.8	14.6	0.8	0.1	0.0
RDO16-08	14.6	16.2	1.6	0.3	0.5
RDO16-08	16.2	16.6	0.4	1.4	2.7
RDO16-08	16.6	17.3	0.6	1.1	2.4
RDO16-08	17.3	17.7	0.4	8.1	0.7
RDO16-08	17.7	18.2	0.6	3.8	2.8
RDO16-08	18.2	18.8	0.6	0.6	0.6
RDO16-08	18.8	19.1	0.3	0.3	0.0
RDO16-08	19.1	19.4	0.3	1.3	2.5
RDO16-08	19.4	20.1	0.7	0.1	1.1
RDO16-08	20.1	21.5	1.4	0.1	1.4
RDO16-08	21.5	21.9	0.4	0.0	1.1
RDO16-08	21.9	22.5	0.6	0.3	7.2
RDO16-08	22.5	23.1	0.6	0.6	6.7
RDO16-08	23.1	26.0	2.9	0.3	0.8
RDO16-08	26.0	27.7	1.7	0.3	2.0
RDO16-08	27.7	29.5	1.9	0.2	1.6
RDO16-08	29.5	30.8	1.2	0.5	1.8
RDO16-08	32.1	33.0	0.9	1.0	3.9
RDO16-08	33.0	33.3	0.3	0.7	4.2
RDO16-08	33.3	33.6	0.3	0.9	6.8
RDO16-08	33.6	35.2	1.6	0.4	1.4
RDO16-08	35.2	37.5	2.3	0.8	2.3
RDO16-08	37.5	37.8	0.3	1.0	25.1

RDO16-08	37.8	38.7	0.9	0.3	8.0
RDO16-08	38.7	39.3	0.6	0.9	9.5
RDO16-08	39.3	40.7	1.4	1.3	6.3
RDO16-08	40.7	41.6	0.9	0.6	6.4
RDO16-08	41.6	42.0	0.4	0.0	0.5
RDO16-08	42.0	43.0	1.1	0.9	4.5
RDO16-08	43.0	44.3	1.3	0.2	1.0
RDO16-08	44.3	45.4	1.1	0.4	3.6
RDO16-08	45.4	45.6	0.3	1.5	14.8
RDO16-08	45.6	46.1	0.5	0.3	3.3
RDO16-08	46.1	46.5	0.5	1.7	13.6
RDO16-08	46.5	47.5	1.0	0.1	3.2
RDO16-08	47.5	48.2	0.7	0.2	2.5
RDO16-08	48.2	49.2	1.0	0.3	7.0
RDO16-08	49.2	50.5	1.3	0.6	9.9
RDO16-08	50.5	51.7	1.2	1.6	18.9
RDO16-08	51.7	53.1	1.5	0.9	12.5
RDO16-08	53.1	54.2	1.1	0.8	14.1
RDO16-08	54.2	55.5	1.3	0.5	11.9
RDO16-08	55.5	56.8	1.3	0.4	10.2
RDO16-08	56.8	58.0	1.2	0.4	9.0
RDO16-08	58.0	58.9	0.9	0.1	10.7
RDO16-08	58.9	60.2	1.2	0.6	6.3
RDO16-08	60.2	61.9	1.7	0.4	10.6
RDO16-08	61.9	62.6	0.7	0.4	5.2
RDO16-08	62.6	64.0	1.4	0.7	15.5
RDO16-08	64.0	64.9	0.8	3.6	93.4
RDO16-08	64.9	65.2	0.3	0.7	43.3
RDO16-08	65.2	67.1	1.9	4.1	53.8
RDO16-08	67.1	67.6	0.5	2.1	62.9
RDO16-08	67.6	68.2	0.7	0.3	10.4
RDO16-08	68.2	69.3	1.1	0.6	8.9
RDO16-08	69.3	70.4	1.1	0.2	13.0
RDO16-08	70.4	71.3	0.8	0.3	11.4
RDO16-08	71.3	73.7	2.5	0.3	30.6
RDO16-08	73.7	74.0	0.3	0.5	47.4
RDO16-08	74.0	75.1	1.1	0.3	21.0
RDO16-08	75.1	75.8	0.8	0.5	23.7
RDO16-08	75.8	76.4	0.6	1.4	9.3
RDO16-08	76.4	78.0	1.6	1.0	34.7
RDO16-08	78.0	79.0	1.0	0.2	15.3
RDO16-08	79.0	80.3	1.3	0.2	12.3
RDO16-08	80.3	82.5	2.2	0.7	24.9
RDO16-08	82.5	83.9	1.4	0.8	23.5
RDO16-08	83.9	85.1	1.2	0.1	3.0
RDO16-08	85.1	86.0	0.9	0.2	6.7
RDO16-08	86.0	87.3	1.3	0.1	19.4
RDO16-08	87.3	88.1	0.8	0.4	3.5
RDO16-08	88.1	88.7	0.6	0.1	21.1
RDO16-08	88.7	89.5	0.8	0.0	0.5

RDO16-08	89.5	91.7	2.3	0.0	1.0
RDO16-08	91.7	92.9	1.2	0.1	4.7
RDO16-08	92.9	94.3	1.4	0.1	7.7
RDO16-08	94.3	95.3	1.0	0.1	3.7
RDO16-08	95.3	96.0	0.7	0.2	6.2
RDO16-08	96.0	97.5	1.5	0.1	1.3
RDO16-08	97.5	98.8	1.3	0.1	6.0
RDO16-08	98.8	100.3	1.4	0.1	20.2
RDO16-08	100.3	100.5	0.3	0.1	39.0
RDO16-08	100.5	101.9	1.4	0.1	3.3
RDO16-08	101.9	103.5	1.6	0.0	3.1
RDO16-08	103.5	104.9	1.3	0.2	1.5
RDO16-08	104.9	105.8	0.9	0.1	2.2
RDO16-08	105.8	106.5	0.8	0.1	1.1
RDO16-09	0.0	4.1	4.1	1.3	2.1
RDO16-09	4.1	5.3	1.2	1.3	3.5
RDO16-09	5.3	5.9	0.6	0.6	1.4
RDO16-09	5.9	6.7	0.9	1.1	2.2
RDO16-09	6.7	7.2	0.5	0.3	0.8
RDO16-09	7.2	8.1	0.9	1.3	4.4
RDO16-09	8.1	8.9	0.7	0.7	1.6
RDO16-09	8.9	9.7	0.9	0.3	0.6
RDO16-09	9.7	10.5	0.8	0.1	0.0
RDO16-09	10.5	11.5	1.0	0.2	0.7
RDO16-09	11.5	12.0	0.5	0.1	0.5
RDO16-09	12.0	13.5	1.5	0.2	1.1
RDO16-09	13.5	14.2	0.7	0.2	0.0
RDO16-09	14.2	14.7	0.5	0.3	1.0
RDO16-09	14.7	16.2	1.5	0.2	0.0
RDO16-09	16.2	17.0	0.8	0.1	0.0
RDO16-09	17.0	18.0	1.0	0.5	0.0
RDO16-09	18.0	19.1	1.1	0.6	0.0
RDO16-09	19.1	20.0	0.9	0.2	0.5
RDO16-09	20.0	21.0	1.0	0.2	0.5
RDO16-09	21.0	21.5	0.5	0.5	2.6
RDO16-09	21.5	22.5	1.0	0.4	1.2
RDO16-09	22.5	23.1	0.6	0.3	0.5
RDO16-09	23.1	23.9	0.8	0.1	0.0
RDO16-09	23.9	24.5	0.6	0.6	0.8
RDO16-09	24.5	25.8	1.3	0.1	0.0
RDO16-09	25.8	26.6	0.8	0.1	0.0
RDO16-09	26.6	27.0	0.4	0.5	2.2
RDO16-09	27.0	28.3	1.3	0.3	0.0
RDO16-09	28.3	30.0	1.7	0.6	1.0
RDO16-09	30.0	31.2	1.2	0.2	0.0
RDO16-09	31.2	32.5	1.4	1.2	24.4
RDO16-09	32.5	33.5	1.0	2.0	1.9
RDO16-09	33.5	35.7	2.2	0.3	1.1
RDO16-09	35.7	37.1	1.4	0.2	1.4
RDO16-09	37.1	39.4	2.3	1.1	9.3

RDO16-09	39.4	41.5	2.1	0.9	6.5
RDO16-09	41.5	43.3	1.8	1.3	5.8
RDO16-09	43.3	44.0	0.7	0.4	0.5
RDO16-09	44.0	44.6	0.6	0.2	3.2
RDO16-09	44.6	45.3	0.7	0.3	5.7
RDO16-09	45.3	45.6	0.4	0.4	2.5
RDO16-09	45.6	46.6	0.9	0.1	5.3
RDO16-09	46.6	46.8	0.2	0.2	19.5
RDO16-09	46.8	47.1	0.4	0.5	17.4
RDO16-09	47.1	47.4	0.2	0.2	35.8
RDO16-09	47.4	48.8	1.4	0.3	11.2
RDO16-09	48.8	49.2	0.4	0.4	9.8
RDO16-09	49.2	50.1	0.9	0.6	12.3
RDO16-09	50.1	51.1	0.9	0.5	10.4
RDO16-09	51.1	52.6	1.6	0.6	5.7
RDO16-09	52.6	54.2	1.6	0.5	16.1
RDO16-09	54.2	55.1	0.9	0.9	24.1
RDO16-09	55.1	55.5	0.4	0.3	9.9
RDO16-09	55.5	56.8	1.3	0.3	17.9
RDO16-09	56.8	58.3	1.5	0.6	17.3
RDO16-09	58.3	58.7	0.4	0.5	15.3
RDO16-09	58.7	59.5	0.7	2.0	106
RDO16-09	59.5	60.4	0.9	2.3	15.8
RDO16-09	60.4	61.5	1.1	0.9	12.0
RDO16-09	61.5	62.7	1.2	0.7	50.9
RDO16-09	62.7	63.4	0.7	0.4	10.4
RDO16-09	63.4	64.3	0.9	0.6	14.8
RDO16-09	64.3	64.9	0.6	0.9	76.7
RDO16-09	64.9	65.9	1.0	0.1	2.3
RDO16-09	65.9	66.5	0.6	0.3	1.8
RDO16-09	66.5	68.1	1.5	0.1	2.0
RDO16-09	68.1	68.6	0.5	0.1	1.6
RDO16-09	68.6	69.5	0.9	0.2	4.5
RDO16-09	69.5	70.6	1.2	0.2	3.2
RDO16-09	70.6	72.0	1.4	0.1	10.2
RDO16-09	72.0	72.9	0.9	0.2	1.8
RDO16-09	72.9	74.6	1.7	0.3	15.0
RDO16-09	74.6	75.1	0.5	0.5	272
RDO16-09	75.1	75.9	0.8	0.3	24.9
RDO16-09	75.9	76.9	1.0	0.8	14.8
RDO16-09	76.9	77.9	1.0	0.3	65.5
RDO16-09	77.9	78.4	0.5	0.1	4.7
RDO16-09	78.4	79.5	1.1	0.4	5.0
RDO16-09	79.5	81.1	1.6	0.3	2.5
RDO16-09	81.1	82.2	1.1	0.2	2.9
RDO16-09	82.2	82.7	0.5	0.2	9.2
RDO16-09	82.7	82.9	0.2	0.1	3.1
RDO16-09	82.9	84.0	1.1	0.2	4.2
RDO16-09	84.0	84.9	0.9	0.0	5.5
RDO16-09	84.9	85.3	0.4	0.1	8.6

RDO16-09	85.3	86.1	0.8	0.6	18.1
RDO16-09	86.1	87.4	1.3	0.2	3.1
RDO16-09	87.4	88.6	1.2	0.2	3.0
RDO16-09	88.6	89.8	1.2	0.4	16.6
RDO16-09	89.8	91.5	1.7	0.2	4.0
RDO16-10	5.2	7.5	2.4	0.0	0.0
RDO16-10	7.5	8.3	0.8	0.1	0.0
RDO16-10	8.3	10.0	1.7	0.1	0.0
RDO16-10	10.0	10.8	0.8	0.1	0.0
RDO16-10	10.8	11.2	0.4	0.8	0.0
RDO16-10	11.2	12.5	1.3	0.3	1.9
RDO16-10	12.5	13.5	1.0	0.2	0.9
RDO16-10	13.5	15.1	1.6	0.1	0.0
RDO16-10	15.1	15.8	0.7	0.4	0.7
RDO16-10	15.8	17.4	1.6	0.2	0.8
RDO16-10	17.4	18.3	0.9	0.5	2.3
RDO16-10	18.3	20.0	1.7	0.4	1.3
RDO16-10	20.0	20.6	0.6	1.0	3.4
RDO16-10	20.6	21.5	0.9	1.2	22.4
RDO16-10	21.5	22.5	1.0	0.5	3.0
RDO16-10	22.5	24.9	2.4	0.7	1.9
RDO16-10	24.9	25.6	0.7	0.6	2.3
RDO16-10	25.6	26.2	0.6	0.4	1.6
RDO16-10	26.2	27.5	1.3	2.0	6.4
RDO16-10	27.5	28.0	0.5	1.3	4.3
RDO16-10	28.0	28.6	0.6	7.0	2.8
RDO16-10	28.6	32.3	3.7	0.2	1.6
RDO16-10	32.3	34.4	2.1	1.9	12.1
RDO16-10	34.4	35.7	1.3	0.4	1.0
RDO16-10	35.7	37.5	1.8	0.4	0.0
RDO16-10	37.5	38.7	1.2	0.8	8.3
RDO16-10	38.7	39.4	0.7	0.6	5.9
RDO16-10	39.4	40.5	1.1	0.3	2.6
RDO16-10	40.5	42.0	1.5	0.3	2.4
RDO16-10	42.0	43.5	1.5	0.4	2.8
RDO16-10	43.5	45.3	1.8	0.4	3.2
RDO16-10	45.3	46.6	1.3	0.7	21.0
RDO16-10	46.6	47.7	1.1	0.9	12.1
RDO16-10	47.7	48.4	0.7	0.6	22.9
RDO16-10	48.4	48.8	0.4	1.4	15.9
RDO16-10	48.8	49.2	0.4	0.5	5.6
RDO16-10	49.2	49.8	0.6	0.9	8.7
RDO16-10	49.8	51.0	1.2	0.3	1.3
RDO16-10	51.0	52.2	1.2	0.2	3.2
RDO16-10	52.2	53.4	1.2	0.3	8.5
RDO16-10	53.4	54.0	0.6	0.1	2.5
RDO16-10	54.0	55.0	1.0	0.6	18.0
RDO16-10	55.0	55.5	0.5	0.5	6.4
RDO16-10	55.5	57.0	1.5	1.4	19.7
RDO16-10	57.0	58.5	1.5	0.5	10.8

RDO16-10	58.5	60.0	1.5	0.4	25.4
RDO16-10	60.0	61.5	1.5	0.4	2.4
RDO16-10	61.5	62.3	0.8	0.3	3.5
RDO16-10	62.3	64.5	2.2	0.2	5.5
RDO16-10	64.5	65.4	0.9	0.2	6.7
RDO16-10	65.4	66.5	1.1	0.1	7.4
RDO16-10	66.5	68.1	1.6	0.2	6.2
RDO16-10	68.1	70.0	1.9	0.1	1.6
RDO16-10	70.0	70.7	0.7	0.1	4.9
RDO16-10	70.7	71.8	1.1	0.1	3.6
RDO16-10	71.8	72.9	1.1	0.1	2.8
RDO16-10	72.9	74.2	1.3	0.1	2.5
RDO16-10	74.2	75.2	1.0	0.1	2.9
RDO16-10	75.2	76.7	1.5	0.1	2.8
RDO16-10	76.7	77.8	1.1	0.2	2.4
RDO16-10	77.8	78.8	1.0	0.1	0.6
RDO16-10	78.8	79.5	0.7	0.0	0.0
RDO16-10	79.5	81.0	1.5	0.1	4.8
RDO16-10	81.0	82.7	1.7	0.2	2.4
RDO16-10	82.7	83.6	0.9	0.2	3.1
RDO16-10	83.6	84.1	0.5	0.2	7.3
RDO16-10	84.1	85.1	1.0	0.2	3.4
RDO16-10	85.1	86.5	1.4	0.2	3.9
RDO16-10	86.5	87.5	1.0	0.3	4.3
RDO16-10	87.5	88.5	1.0	0.3	5.2
RDO16-10	88.5	90.0	1.5	0.2	4.1
RDO16-10	90.0	91.5	1.5	0.2	3.7
RDO16-10	91.5	92.2	0.7	0.2	2.9
RDO16-10	92.2	93.1	0.9	0.2	2.8
RDO16-10	93.1	94.5	1.4	0.2	54.0
RDO16-10	94.5	95.6	1.1	0.1	2.7
RDO16-10	95.6	96.7	1.1	0.2	1.3
RDO16-10	96.7	97.5	0.8	0.1	2.8
RDO16-10	97.5	99.0	1.5	0.1	2.9
RDO16-10	99.0	100.7	1.7	0.2	3.4
RDO16-10	100.7	101.6	0.9	0.2	1.7
RDO16-10	101.6	102.7	1.1	0.2	3.5
RDO16-10	102.7	103.5	0.8	0.2	6.3
RDO16-10	103.5	104.3	0.8	0.3	3.9
RDO16-10	104.3	104.7	0.4	0.2	2.2
RDO16-10	104.7	106.1	1.4	0.3	6.0
RDO16-10	106.1	106.5	0.4	0.3	5.0
RDO16-10	106.5	107.9	1.4	0.3	4.7
RDO16-10	107.9	109.5	1.6	0.2	6.6
RDO16-10	109.5	111.0	1.5	0.3	7.3
RDO16-10	111.0	112.5	1.5	0.1	4.4
RDO16-10	112.5	113.7	1.2	0.2	6.1
RDO16-10	113.7	114.5	0.8	0.2	10.3
RDO16-10	114.5	116.0	1.5	0.3	10.0
RDO16-10	116.0	117.0	1.0	0.2	6.8

RDO16-10	117.0	118.3	1.3	0.2	9.2
RDO16-10	118.3	120.0	1.7	0.1	4.4
RDO16-10	120.0	121.5	1.5	0.1	4.4
RDO16-10	121.5	123.0	1.5	0.1	6.2
RDO16-10	123.0	124.3	1.3	0.1	6.4
RDO16-10	124.3	126.0	1.7	0.1	10.6
RDO16-10	126.0	127.5	1.5	0.1	7.1
RDO16-10	127.5	129.0	1.5	0.1	2.7
RDO16-10	129.0	130.4	1.4	0.0	3.6
RDO16-10	130.4	132.0	1.6	0.1	6.4
RDO16-10	132.0	133.0	1.0	0.1	5.3
RDO16-10	133.0	134.2	1.2	0.1	4.8
RDO16-10	134.2	135.6	1.4	0.1	2.1
RDO16-10	135.6	136.8	1.2	0.1	4.3
RDO16-10	136.8	137.9	1.1	0.1	10.9
RDO16-10	137.9	138.8	0.9	0.1	10.9
RDO16-10	138.8	140.3	1.4	0.1	6.8
RDO16-10	140.3	141.3	1.1	0.1	25.7
RDO16-10	141.3	142.3	1.0	0.0	19.8
RDO16-10	142.3	143.6	1.3	0.1	5.0
RDO16-10	143.6	144.0	0.4	0.1	1.2
RDO16-10	144.0	144.8	0.8	0.0	9.4
RDO16-10	144.8	146.7	1.9	0.1	8.0
RDO16-10	146.7	148.2	1.5	0.0	3.8
RDO16-10	148.2	150.0	1.8	0.0	3.8
RDO16-10	150.0	151.5	1.5	0.0	2.6
RDO16-10	151.5	153.4	1.8	0.0	2.4
RDO16-10	153.4	154.9	1.6	0.1	5.3
RDO16-10	154.9	156.6	1.7	0.1	7.1
RDO16-10	156.6	157.8	1.2	0.0	1.3
RDO16-10	157.8	159.0	1.2	0.0	1.3
RDO16-10	159.0	160.0	1.0	0.0	3.2
RDO16-10	160.0	161.0	1.0	0.1	0.0
RDO16-10	161.0	162.0	1.0	0.0	1.6
RDO16-10	162.0	163.6	1.6	0.0	2.3
RDO16-10	163.6	165.3	1.7	0.0	3.3
RDO16-10	165.3	166.3	1.0	0.1	1.9
RDO16-10	166.3	167.3	0.9	0.1	2.8
RDO16-10	167.3	167.6	0.3	0.0	2.3
RDO16-10	167.6	169.2	1.6	0.1	1.9
RDO16-10	169.2	170.8	1.6	0.1	2.2
RDO16-10	170.8	172.2	1.4	0.0	2.0
RDO16-10	172.2	174.0	1.8	0.0	1.6
RDO16-10	174.0	174.8	0.8	0.0	2.4
RDO16-10	174.8	176.8	2.0	0.0	1.1
RDO16-10	176.8	177.6	0.8	0.1	3.8
RDO16-10	177.6	178.1	0.5	0.1	2.6
RDO16-10	178.1	178.7	0.6	0.1	4.4
RDO16-10	178.7	180.6	1.9	0.0	1.1
RDO16-10	180.6	182.0	1.4	0.0	1.6

RDO16-10	182.0	182.4	0.4	0.0	0.9
RDO16-10	182.4	183.5	1.1	0.0	1.1
RDO16-10	183.5	184.3	0.8	0.1	2.9
RDO16-10	184.3	185.0	0.7	0.0	1.1
RDO16-10	185.0	186.0	1.0	0.0	1.4
RDO16-10	186.0	187.5	1.5	0.0	1.1
RDO16-10	187.5	189.0	1.5	0.1	2.9
RDO16-10	189.0	190.4	1.4	0.0	1.6
RDO16-10	190.4	192.0	1.6	0.0	2.4
RDO16-10	192.0	193.5	1.5	0.0	0.8
RDO16-10	193.5	195.0	1.5	0.1	1.3
RDO16-10	195.0	196.5	1.5	0.1	0.9
RDO16-10	196.5	198.0	1.5	0.1	1.1
RDO16-10	198.0	199.5	1.5	0.1	2.5
RDO16-10	199.5	201.0	1.5	0.1	1.3
RDO16-11	6.0	8.0	2.0	0.0	1.1
RDO16-11	8.0	9.6	1.6	0.0	0.8
RDO16-11	9.6	10.6	1.0	0.2	2.0
RDO16-11	10.6	11.4	0.8	0.2	1.4
RDO16-11	11.4	13.0	1.6	0.2	3.4
RDO16-11	13.0	14.5	1.5	0.0	0.6
RDO16-11	14.5	16.0	1.5	0.1	1.7
RDO16-11	16.0	17.2	1.2	0.1	1.1
RDO16-11	17.2	18.2	1.0	0.2	1.4
RDO16-11	18.2	19.0	0.8	0.1	0.8
RDO16-11	19.0	20.5	1.5	0.1	1.2
RDO16-11	20.5	22.0	1.5	0.1	0.5
RDO16-11	22.0	23.5	1.5	0.2	1.7
RDO16-11	23.5	25.0	1.5	0.4	1.9
RDO16-11	25.0	26.5	1.5	0.2	1.1
RDO16-11	26.5	28.0	1.5	0.2	1.4
RDO16-11	28.0	29.5	1.5	0.5	2.0
RDO16-11	29.5	31.0	1.5	0.6	3.5
RDO16-11	31.0	32.4	1.4	0.1	1.3
RDO16-11	32.4	33.3	0.9	0.3	1.2
RDO16-11	33.3	34.5	1.2	0.1	0.0
RDO16-11	34.5	35.4	0.9	0.2	0.9
RDO16-11	35.4	35.9	0.5	0.2	1.0
RDO16-11	35.9	36.7	0.8	0.2	1.7
RDO16-11	36.7	38.5	1.8	0.4	3.4
RDO16-11	38.5	40.1	1.6	0.3	4.0
RDO16-11	40.1	41.5	1.4	0.4	5.8
RDO16-11	41.5	43.0	1.5	0.4	6.1
RDO16-11	43.0	44.0	1.0	0.5	5.4
RDO16-11	44.0	46.0	2.0	0.5	5.3
RDO16-11	46.0	47.8	1.8	0.3	1.0
RDO16-11	47.8	49.0	1.2	0.3	0.9
RDO16-11	49.0	50.5	1.5	0.4	2.4
RDO16-11	50.5	52.0	1.5	0.2	9.5
RDO16-11	52.0	52.6	0.6	0.1	2.4

RDO16-11	52.6	53.7	1.1	0.1	2.2
RDO16-11	53.7	55.0	1.3	0.1	5.0
RDO16-11	55.0	56.5	1.5	0.1	2.0
RDO16-11	56.5	58.0	1.5	0.1	4.3
RDO16-11	58.0	59.6	1.6	0.2	6.6
RDO16-11	59.6	61.3	1.7	0.1	3.4
RDO16-11	61.3	62.5	1.2	0.2	2.3
RDO16-11	62.5	63.7	1.2	0.2	7.3
RDO16-11	63.7	64.8	1.1	0.1	17.3
RDO16-11	64.8	66.0	1.2	0.3	17.7
RDO16-11	66.0	67.2	1.2	0.5	36.0
RDO16-11	67.2	69.0	1.8	0.1	34.9
RDO16-11	69.0	70.0	1.0	0.2	6.3
RDO16-11	70.0	70.6	0.6	0.1	2.6
RDO16-11	70.6	72.0	1.4	0.1	4.4
RDO16-11	72.0	73.0	1.0	0.2	5.2
RDO16-11	73.0	74.2	1.2	0.2	11.7
RDO16-11	74.2	74.8	0.6	0.2	5.1
RDO16-11	74.8	76.0	1.2	0.4	24.9
RDO16-11	76.0	76.8	0.8	0.7	50.4
RDO16-11	76.8	78.2	1.4	0.4	96.6
RDO16-11	78.2	79.0	0.8	0.3	7.0
RDO16-11	79.0	80.5	1.5	0.1	2.4
RDO16-11	80.5	82.0	1.5	0.2	32.3
RDO16-11	82.0	83.5	1.5	0.1	10.3
RDO16-11	83.5	85.0	1.5	0.2	6.9
RDO16-11	85.0	85.6	0.6	0.2	11.8
RDO16-11	85.6	86.2	0.6	0.2	22.8
RDO16-11	86.2	87.5	1.3	0.1	8.9
RDO16-11	87.5	88.0	0.5	0.2	17.2
RDO16-11	88.0	89.5	1.5	0.2	7.1
RDO16-11	89.5	91.0	1.5	0.2	11.1
RDO16-11	91.0	92.5	1.5	0.2	7.3
RDO16-11	92.5	94.0	1.5	0.1	6.8
RDO16-11	94.0	94.4	0.4	0.2	5.2
RDO16-11	94.4	94.7	0.3	0.2	16.0
RDO16-11	94.7	95.3	0.6	0.1	3.7
RDO16-11	95.3	96.2	0.9	0.2	34.7
RDO16-11	96.2	97.2	0.9	0.1	14.4
RDO16-11	97.2	98.4	1.3	0.2	2.9
RDO16-11	98.4	98.9	0.4	0.1	6.4
RDO16-11	98.9	101.2	2.3	0.1	2.8
RDO16-11	101.2	101.4	0.2	0.2	131
RDO16-11	101.4	102.9	1.5	0.0	2.1
RDO16-11	102.9	104.0	1.1	0.1	1.7
RDO16-11	104.0	104.8	0.8	0.0	6.8
RDO16-11	104.8	106.3	1.5	0.1	4.3
RDO16-11	106.3	108.2	1.9	0.1	2.1
RDO16-11	108.2	109.4	1.3	0.0	10.1
RDO16-11	109.4	111.9	2.5	0.0	1.9

RDO16-11	111.9	114.1	2.2	0.1	2.0
RDO16-11	114.1	114.6	0.5	0.0	12.2
RDO16-11	114.6	115.4	0.8	0.1	2.0
RDO16-11	115.4	116.6	1.2	0.1	1.2
RDO16-11	116.6	117.4	0.8	0.1	0.7
RDO16-11	117.4	118.0	0.6	0.0	1.2
RDO16-11	118.0	118.9	0.9	0.1	1.1
RDO16-11	118.9	120.8	1.9	0.1	0.7
RDO16-11	120.8	121.7	0.9	0.0	0.7
RDO16-11	121.7	122.9	1.2	0.1	3.1
RDO16-11	122.9	123.9	1.0	0.0	9.9
RDO16-11	123.9	125.5	1.6	0.0	2.0
RDO16-11	125.5	127.0	1.5	0.0	1.6
RDO16-11	127.0	128.0	1.0	0.1	1.8
RDO16-11	128.0	128.8	0.8	0.1	0.8
RDO16-11	128.8	130.5	1.7	0.1	2.9
RDO16-11	130.5	132.5	2.0	0.1	0.8
RDO16-11	132.5	133.4	0.9	0.0	1.3
RDO16-11	133.4	134.4	0.9	0.0	4.5
RDO16-11	134.4	135.3	1.0	0.0	0.5
RDO16-11	135.3	136.7	1.4	0.0	1.5
RDO16-11	136.7	137.3	0.6	0.0	0.9
RDO16-11	137.3	138.4	1.1	0.0	2.9
RDO16-11	138.4	139.0	0.6	0.1	5.0
RDO16-11	139.0	140.5	1.5	0.1	1.3
RDO16-11	140.5	142.0	1.5	0.1	1.0
RDO16-11	142.0	144.2	2.2	0.1	1.8
RDO16-11	144.2	144.9	0.7	0.0	2.3
RDO16-11	144.9	146.0	1.1	0.0	3.2
RDO16-11	146.0	146.5	0.5	0.0	2.3
RDO16-11	146.5	146.9	0.4	0.0	4.0
RDO16-11	146.9	147.5	0.6	0.1	20.8
RDO16-11	147.5	147.9	0.4	0.3	6.7
RDO16-11	147.9	149.5	1.6	0.1	1.9
RDO16-11	149.5	150.3	0.8	0.1	1.6
RDO16-11	150.3	151.0	0.7	0.1	3.6
RDO16-11	151.0	152.2	1.3	0.1	7.0
RDO16-11	152.2	152.6	0.4	0.1	7.5
RDO16-11	152.6	154.0	1.4	0.1	6.1
RDO16-11	154.0	155.5	1.5	0.2	13.4
RDO16-12	3.0	4.7	1.7	0.1	0.0
RDO16-12	4.7	5.7	1.0	0.1	0.0
RDO16-12	5.7	7.2	1.5	0.1	0.0
RDO16-12	7.2	8.0	0.9	0.0	0.0
RDO16-12	8.0	9.0	1.0	0.1	0.0
RDO16-12	9.0	10.0	1.0	0.1	0.0
RDO16-12	10.0	10.8	0.8	0.1	0.9
RDO16-12	10.8	11.7	0.9	0.1	0.0
RDO16-12	11.7	13.0	1.3	0.1	1.0
RDO16-12	13.0	13.7	0.7	0.0	1.3

RDO16-12	13.7	15.2	1.5	0.1	1.4
RDO16-12	15.2	16.2	1.0	0.3	1.9
RDO16-12	16.2	17.2	1.0	0.3	0.7
RDO16-12	17.2	18.4	1.2	0.2	0.5
RDO16-12	18.4	18.8	0.4	0.3	0.7
RDO16-12	18.8	19.9	1.1	0.1	1.4
RDO16-12	19.9	20.2	0.3	0.1	0.7
RDO16-12	20.2	20.6	0.4	0.1	1.1
RDO16-12	20.6	21.0	0.4	0.1	0.0
RDO16-12	21.0	21.7	0.7	0.2	1.4
RDO16-12	21.7	22.7	0.9	0.3	0.8
RDO16-12	22.7	23.6	1.0	0.5	1.6
RDO16-12	23.6	24.5	0.8	0.5	1.3
RDO16-12	24.5	25.0	0.5	0.3	0.9
RDO16-12	25.0	25.2	0.2	1.4	4.8
RDO16-12	25.2	26.7	1.6	0.1	0.0
RDO16-12	26.7	28.1	1.4	0.2	0.0
RDO16-12	28.1	28.4	0.3	0.3	0.8
RDO16-12	28.4	29.4	1.1	0.2	0.5
RDO16-12	29.4	29.8	0.4	0.1	0.0
RDO16-12	29.8	31.0	1.2	0.4	1.0
RDO16-12	31.0	32.3	1.3	0.3	1.2
RDO16-12	32.3	32.6	0.3	0.2	0.9
RDO16-12	32.6	34.0	1.4	0.2	0.8
RDO16-12	34.0	34.2	0.2	0.3	1.2
RDO16-12	34.2	34.6	0.4	0.7	4.9
RDO16-12	34.6	35.0	0.4	0.1	0.0
RDO16-12	35.0	35.5	0.4	0.3	1.1
RDO16-12	35.5	36.2	0.7	0.0	0.0
RDO16-12	36.2	37.2	1.1	0.0	0.0
RDO16-12	37.2	37.8	0.5	0.1	0.7
RDO16-12	37.8	38.1	0.3	0.1	0.6
RDO16-12	38.1	38.7	0.6	0.2	1.2
RDO16-12	38.7	39.7	1.0	0.1	0.0
RDO16-12	39.7	40.2	0.6	0.0	0.0
RDO16-12	40.2	40.9	0.7	0.1	0.7
RDO16-12	40.9	42.8	1.9	0.3	0.7
RDO16-12	42.8	43.8	1.0	0.1	0.8
RDO16-12	43.8	44.5	0.8	0.1	2.9
RDO16-12	44.5	45.8	1.3	0.1	0.5
RDO16-12	45.8	46.2	0.4	0.1	1.0
RDO16-12	46.2	46.4	0.2	0.1	0.0
RDO16-12	46.4	46.6	0.2	0.1	0.8
RDO16-12	46.6	46.8	0.2	0.1	0.0
RDO16-12	46.8	47.0	0.2	0.2	1.6
RDO16-12	47.0	47.3	0.3	0.1	0.6
RDO16-12	47.3	47.7	0.4	0.2	0.7
RDO16-12	47.7	48.9	1.2	0.1	0.0
RDO16-12	48.9	50.0	1.1	0.0	0.0
RDO16-12	50.0	50.3	0.3	0.2	0.8

RDO16-12	50.3	50.5	0.2	0.2	1.0
RDO16-12	50.5	51.1	0.6	0.1	0.8
RDO16-12	51.1	52.4	1.3	0.1	0.5
RDO16-12	52.4	52.6	0.2	0.1	0.0
RDO16-12	52.6	53.2	0.6	0.1	0.8
RDO16-12	53.2	53.5	0.3	0.2	0.7
RDO16-12	53.5	54.8	1.3	0.1	0.5
RDO16-12	54.8	55.2	0.4	0.2	2.0
RDO16-12	55.2	56.5	1.4	0.3	0.8
RDO16-12	56.5	56.9	0.4	0.1	1.0
RDO16-12	56.9	57.6	0.8	0.0	0.5
RDO16-12	57.6	58.2	0.5	0.1	3.5
RDO16-12	58.2	58.5	0.4	0.1	6.2
RDO16-12	58.5	59.9	1.4	0.1	0.7
RDO16-12	59.9	60.6	0.7	0.1	0.0
RDO16-12	60.6	61.6	1.0	0.1	0.0
RDO16-12	61.6	61.9	0.3	0.1	0.0
RDO16-12	61.9	62.6	0.7	0.0	0.0
RDO16-12	62.6	63.0	0.3	0.1	0.9
RDO16-12	63.0	64.1	1.1	0.1	0.0
RDO16-12	64.1	64.7	0.6	0.1	2.4
RDO16-12	64.7	65.4	0.7	0.2	11.4
RDO16-12	65.4	67.0	1.6	0.1	20.4
RDO16-12	67.0	67.9	1.0	0.1	8.1
RDO16-12	67.9	68.7	0.8	0.1	6.3
RDO16-12	68.7	69.8	1.1	0.1	8.3
RDO16-12	69.8	70.6	0.7	0.0	4.2
RDO16-12	70.6	71.0	0.5	0.1	2.6
RDO16-12	71.0	71.5	0.5	0.1	8.2
RDO16-12	71.5	72.7	1.2	0.1	1.8
RDO16-12	72.7	73.0	0.3	0.1	5.4
RDO16-12	73.0	74.3	1.3	0.1	1.8
RDO16-12	74.3	75.1	0.8	0.1	5.7
RDO16-12	75.1	75.7	0.7	0.1	1.0
RDO16-12	75.7	76.6	0.9	0.1	0.5
RDO16-12	76.6	77.8	1.2	0.1	1.3
RDO16-12	77.8	79.0	1.2	0.2	8.3
RDO16-12	79.0	80.2	1.2	0.1	24.6
RDO16-12	80.2	80.6	0.4	0.4	14.4
RDO16-12	80.6	81.6	1.0	0.2	4.5
RDO16-12	81.6	82.5	0.9	0.1	5.7
RDO16-12	82.5	83.2	0.7	0.4	9.5
RDO16-12	83.2	83.3	0.1	0.2	2.6
RDO16-12	83.3	83.5	0.2	0.1	2.6
RDO16-12	83.5	84.1	0.5	0.1	1.5
RDO16-12	84.1	84.6	0.5	0.1	1.8
RDO16-12	84.6	86.0	1.4	0.1	0.7
RDO16-12	86.0	86.4	0.3	0.1	5.4
RDO16-12	86.4	87.7	1.4	0.1	1.7
RDO16-12	87.7	88.7	1.0	0.1	0.0

RDO16-12	88.7	90.4	1.7	0.1	0.9
RDO16-12	90.4	91.9	1.5	0.1	2.6
RDO16-12	91.9	93.1	1.2	0.1	4.3
RDO16-12	93.1	94.0	0.9	0.1	7.2
RDO16-12	94.0	95.6	1.6	0.2	6.3
RDO16-12	95.6	97.0	1.4	0.2	3.7
RDO16-12	97.0	99.4	2.4	0.2	2.9
RDO16-12	99.4	100.6	1.2	0.1	7.6
RDO16-12	100.6	101.5	0.9	0.1	1.6
RDO16-12	101.5	101.9	0.4	0.1	10.8
RDO16-12	101.9	103.0	1.1	0.0	3.3
RDO16-12	103.0	104.2	1.2	0.1	1.8
RDO16-12	104.2	104.5	0.3	0.0	3.6
RDO16-12	104.5	106.5	2.0	0.1	1.8
RDO16-12	106.5	108.2	1.6	0.1	3.6
RDO16-12	108.2	109.9	1.7	0.1	3.0
RDO16-12	109.9	110.7	0.9	0.1	1.9
RDO16-12	110.7	111.0	0.2	0.1	2.3
RDO16-12	111.0	111.2	0.3	0.1	4.0
RDO16-12	111.2	111.4	0.2	0.0	4.2
RDO16-12	111.4	112.8	1.4	0.1	2.5
RDO16-12	112.8	114.2	1.3	0.1	1.2
RDO16-12	114.2	115.5	1.4	0.1	1.7
RDO16-12	115.5	117.2	1.7	0.1	1.4
RDO16-12	117.2	117.9	0.7	0.1	1.4
RDO16-12	117.9	119.0	1.1	0.0	3.2
RDO16-12	119.0	119.5	0.5	0.1	1.9
RDO16-12	119.5	119.7	0.2	0.1	4.9
RDO16-12	119.7	120.9	1.2	0.0	0.9
RDO16-12	120.9	121.6	0.6	0.1	1.0
RDO16-12	121.6	122.2	0.6	0.1	0.6
RDO16-12	122.2	123.2	1.1	0.0	1.1
RDO16-12	123.2	124.0	0.8	0.1	2.8
RDO16-12	124.0	124.6	0.6	0.1	2.5
RDO16-12	124.6	124.9	0.3	0.0	1.0
RDO16-12	124.9	125.3	0.5	0.0	1.0
RDO16-12	125.3	125.7	0.3	0.1	0.8
RDO16-12	125.7	126.0	0.3	0.1	14.0
RDO16-12	126.0	126.4	0.4	0.0	2.7
RDO16-12	126.4	127.0	0.6	0.1	3.8
RDO16-12	127.0	127.8	0.8	0.1	1.3
RDO16-12	127.8	128.7	0.9	0.1	1.9
RDO16-12	128.7	128.9	0.2	0.1	0.8
RDO16-12	128.9	129.7	0.8	0.1	3.8
RDO16-12	129.7	130.0	0.3	0.2	7.3
RDO16-12	130.0	130.5	0.5	0.1	2.8
RDO16-12	130.5	132.1	1.6	0.1	5.0
RDO16-12	132.1	132.4	0.3	0.1	3.9
RDO16-12	132.4	133.8	1.4	0.1	3.6
RDO16-12	133.8	135.4	1.6	0.1	1.8

RDO16-12	135.4	136.8	1.4	0.1	7.6
RDO16-12	136.8	138.1	1.3	0.1	2.2
RDO16-12	138.1	139.6	1.5	0.1	1.5
RDO16-12	139.6	141.2	1.6	0.1	2.1
RDO16-12	141.2	141.7	0.5	0.1	0.8
RDO16-12	141.7	141.9	0.2	0.1	5.2
RDO16-12	141.9	142.5	0.6	0.1	3.6
RDO16-12	142.5	143.0	0.5	0.1	3.6
RDO16-12	143.0	143.4	0.4	0.2	1.2
RDO16-12	143.4	144.7	1.3	0.1	3.6
RDO16-12	144.7	145.8	1.1	0.1	6.4
RDO16-12	145.8	146.9	1.1	0.1	0.7
RDO16-12	146.9	147.7	0.8	0.1	10.3
RDO16-12	147.7	148.1	0.5	0.1	3.2
RDO16-12	148.1	148.3	0.2	0.2	3.8
RDO16-12	148.3	149.4	1.0	0.1	1.1
RDO16-12	149.4	149.8	0.5	0.3	15.0
RDO16-12	149.8	150.4	0.6	0.1	0.9
RDO16-12	150.4	151.0	0.6	0.1	0.0
RDO16-12	151.0	151.6	0.6	0.1	1.5
RDO16-12	151.6	152.2	0.6	0.1	9.3
RDO16-12	152.2	152.8	0.6	0.1	1.5
RDO16-12	152.8	153.3	0.5	0.2	3.9
RDO16-12	153.3	154.0	0.7	0.1	0.7
RDO16-12	154.0	154.4	0.3	0.1	1.4
RDO16-12	154.4	155.1	0.8	0.2	1.3
RDO16-12	155.1	155.4	0.3	0.1	0.0
RDO16-12	155.4	156.2	0.8	0.1	0.5
RDO16-12	156.2	157.0	0.8	0.1	4.9
RDO16-13	11.1	12.6	1.6	0.1	0.8
RDO16-13	12.6	13.4	0.8	0.1	0.5
RDO16-13	13.4	14.5	1.1	0.1	1.0
RDO16-13	14.5	15.3	0.8	0.1	0.5
RDO16-13	15.3	16.8	1.5	0.0	0.5
RDO16-13	16.8	18.3	1.5	0.1	0.5
RDO16-13	18.3	19.4	1.1	0.1	0.0
RDO16-13	19.4	20.9	1.5	0.1	0.0
RDO16-13	20.9	22.3	1.4	0.0	0.0
RDO16-13	22.3	23.3	1.0	0.0	0.5
RDO16-13	23.3	23.7	0.3	0.1	0.0
RDO16-13	23.7	25.1	1.5	0.1	0.0
RDO16-13	25.1	26.4	1.3	0.0	0.0
RDO16-13	26.4	27.6	1.2	0.1	0.0
RDO16-13	27.6	28.4	0.8	0.1	0.0
RDO16-13	28.4	28.6	0.2	0.2	0.0
RDO16-13	28.6	28.8	0.2	0.2	0.0
RDO16-13	28.8	30.5	1.7	0.2	3.1
RDO16-13	30.5	31.7	1.2	0.2	3.6
RDO16-13	31.7	32.5	0.8	0.2	3.8
RDO16-13	32.5	33.2	0.6	0.0	0.6

RDO16-13	33.2	34.8	1.6	0.1	1.1
RDO16-13	34.8	35.3	0.5	0.1	0.0
RDO16-13	35.3	36.8	1.5	0.1	0.5
RDO16-13	36.8	37.3	0.5	0.0	0.0
RDO16-13	37.3	37.7	0.4	0.1	0.0
RDO16-13	37.7	38.4	0.7	0.1	0.8
RDO16-13	38.4	39.5	1.1	0.0	0.5
RDO16-13	39.5	40.1	0.5	0.2	7.2
RDO16-13	40.1	40.6	0.6	0.1	0.0
RDO16-13	40.6	41.3	0.6	0.0	0.5
RDO16-13	41.3	42.4	1.2	0.7	0.0
RDO16-13	42.4	44.0	1.6	0.1	0.6
RDO16-13	44.0	44.5	0.5	0.1	1.4
RDO16-13	44.5	45.0	0.5	0.0	0.0
RDO16-13	45.0	46.1	1.1	0.2	2.5
RDO16-13	46.1	46.6	0.5	0.1	1.2
RDO16-13	46.6	48.1	1.5	0.3	3.7
RDO16-13	48.1	49.1	0.9	0.5	3.9
RDO16-13	49.1	50.5	1.5	0.1	1.3
RDO16-13	50.5	52.2	1.7	0.1	1.1
RDO16-13	52.2	52.6	0.5	0.0	0.0
RDO16-13	52.6	53.8	1.2	0.1	1.4
RDO16-13	53.8	54.4	0.6	0.1	3.0
RDO16-13	54.4	55.0	0.6	0.1	1.7
RDO16-13	55.0	55.6	0.6	0.1	2.1
RDO16-13	55.6	56.3	0.7	0.1	3.2
RDO16-13	56.3	57.7	1.5	0.2	2.2
RDO16-13	57.7	58.2	0.5	0.1	2.3
RDO16-13	58.2	60.0	1.8	0.1	0.9
RDO16-13	60.0	60.8	0.8	0.1	0.5
RDO16-13	60.8	62.3	1.5	0.1	0.7
RDO16-13	62.3	63.2	0.9	0.1	3.3
RDO16-13	63.2	64.7	1.5	0.7	3.7
RDO16-13	64.7	66.0	1.3	0.2	1.2
RDO16-13	66.0	67.5	1.6	0.2	1.3
RDO16-13	67.5	68.4	0.8	0.2	1.1
RDO16-13	68.4	69.9	1.6	0.3	1.2
RDO16-13	69.9	70.1	0.2	1.6	6.9
RDO16-13	70.1	71.0	0.9	1.1	7.2
RDO16-13	71.0	71.3	0.3	1.1	7.9
RDO16-13	71.3	72.7	1.4	1.1	5.5
RDO16-13	72.7	73.6	0.9	0.3	2.2
RDO16-13	73.6	73.8	0.2	0.2	4.7
RDO16-13	73.8	74.0	0.2	0.5	16.0
RDO16-13	74.0	74.3	0.3	0.3	8.3
RDO16-13	74.3	75.2	0.9	0.7	3.0
RDO16-13	75.2	75.5	0.3	1.1	6.3
RDO16-13	75.5	75.8	0.3	0.1	0.7
RDO16-13	75.8	77.2	1.4	0.2	0.9
RDO16-13	77.2	79.0	1.8	0.2	2.0

RDO16-13	79.0	79.5	0.5	0.3	2.3
RDO16-13	79.5	80.4	0.8	0.4	5.5
RDO16-13	80.4	81.0	0.6	0.6	10.1
RDO16-13	81.0	81.2	0.2	0.9	2.1
RDO16-13	81.2	81.6	0.4	1.4	10.9
RDO16-13	81.6	82.9	1.3	0.4	5.6
RDO16-13	82.9	84.5	1.6	0.4	14.0
RDO16-13	84.5	85.0	0.5	1.3	20.7
RDO16-13	85.0	86.3	1.3	0.2	5.7
RDO16-13	86.3	87.8	1.5	0.1	6.9
RDO16-13	87.8	89.0	1.3	0.9	28.4
RDO16-13	89.0	89.8	0.8	0.1	2.2
RDO16-13	89.8	90.8	1.0	0.4	14.6
RDO16-13	90.8	91.5	0.8	0.4	16.8
RDO16-13	91.5	92.1	0.6	0.1	3.9
RDO16-13	92.1	93.0	0.9	0.2	3.1
RDO16-13	93.0	93.2	0.2	0.1	6.1
RDO16-13	93.2	94.6	1.4	0.1	2.4
RDO16-13	94.6	95.4	0.8	0.2	1.8
RDO16-13	95.4	97.0	1.6	0.1	3.4
RDO16-13	97.0	98.0	1.0	0.2	4.8
RDO16-13	98.0	99.2	1.2	0.3	9.1
RDO16-13	99.2	100.6	1.4	0.0	1.1
RDO16-13	100.6	101.0	0.4	0.2	6.1
RDO16-13	101.0	102.5	1.5	0.4	21.9
RDO16-13	102.5	104.0	1.5	0.2	12.1
RDO16-13	104.0	105.4	1.4	0.1	1.1
RDO16-13	105.4	106.2	0.8	0.3	10.1
RDO16-13	106.2	107.0	0.8	0.4	10.3
RDO16-13	107.0	107.6	0.5	0.1	13.4
RDO16-13	107.6	108.2	0.6	0.2	9.6
RDO16-13	108.2	109.0	0.8	0.5	11.3
RDO16-13	109.0	111.2	2.2	0.3	22.0
RDO16-13	111.2	112.9	1.7	0.1	9.0
RDO16-13	112.9	114.0	1.2	0.1	1.9
RDO16-13	114.0	115.4	1.4	0.1	8.6
RDO16-13	115.4	116.8	1.4	0.2	7.3
RDO16-13	116.8	117.6	0.8	0.1	4.3
RDO16-13	117.6	118.8	1.2	0.1	3.3
RDO16-13	118.8	120.0	1.2	0.1	5.8
RDO16-13	120.0	120.5	0.5	0.1	4.8
RDO16-13	120.5	122.2	1.7	0.1	9.1
RDO16-13	122.2	123.1	0.9	0.1	4.0
RDO16-13	123.1	123.3	0.2	0.1	19.0
RDO16-13	123.3	124.5	1.2	0.1	6.4
RDO16-13	124.5	125.6	1.1	0.1	5.8
RDO16-13	125.6	127.2	1.6	0.1	16.8
RDO16-13	127.2	128.7	1.6	0.0	10.7
RDO16-13	128.7	129.8	1.1	0.0	8.5
RDO16-13	129.8	131.5	1.6	0.0	12.4

RDO16-13	131.5	133.0	1.5	0.2	13.8
RDO16-13	133.0	134.5	1.5	0.2	6.1
RDO16-13	134.5	135.8	1.4	0.2	11.1
RDO16-13	135.8	137.2	1.3	0.1	13.2
RDO16-13	137.2	138.8	1.7	0.0	5.7
RDO16-13	138.8	140.0	1.2	0.1	3.9
RDO16-13	140.0	140.7	0.7	0.0	5.7
RDO16-13	140.7	141.4	0.7	0.1	2.8
RDO16-13	141.4	143.4	2.0	0.1	1.1
RDO16-13	143.4	144.4	1.0	0.1	1.3
RDO16-13	144.4	145.3	0.8	0.1	0.9
RDO16-13	145.3	146.4	1.2	0.1	1.1
RDO16-13	146.4	147.5	1.1	0.0	7.5
RDO16-13	147.5	147.9	0.4	0.0	0.8
RDO16-13	147.9	148.9	0.9	0.1	4.5
RDO16-13	148.9	149.7	0.8	0.1	3.1
RDO16-13	149.7	150.3	0.6	0.1	6.0
RDO16-13	150.3	150.7	0.4	0.1	2.9
RDO16-13	150.7	152.0	1.3	0.1	3.8
RDO16-13	152.0	153.0	1.0	0.1	2.8
RDO16-13	153.0	154.2	1.2	0.1	0.8
RDO16-13	154.2	155.6	1.4	0.1	3.1
RDO16-13	155.6	156.7	1.1	0.2	1.8
RDO16-13	156.7	157.4	0.7	0.2	2.8
RDO16-13	157.4	158.0	0.6	0.1	9.2
RDO16-13	158.0	158.7	0.7	0.1	0.7
RDO16-13	160.0	160.7	0.7	0.2	2.2
RDO16-13	160.7	161.3	0.6	0.7	4.7
RDO16-13	161.3	161.7	0.4	0.2	4.4
RDO16-13	161.7	162.0	0.3	0.1	1.6
RDO16-13	162.0	162.7	0.7	0.4	2.6
RDO16-13	162.7	163.4	0.7	0.2	1.3
RDO16-13	163.4	164.2	0.8	0.4	2.6
RDO16-13	164.2	165.3	1.1	0.3	2.6
RDO16-13	165.3	166.6	1.3	0.0	1.1
RDO16-13	166.6	167.6	1.0	0.1	3.6
RDO16-13	167.6	168.8	1.2	0.1	3.3
RDO16-13	168.8	170.2	1.4	0.0	0.7
RDO16-13	170.2	170.8	0.6	0.0	1.1
RDO16-13	170.8	171.8	1.0	0.0	0.7
RDO16-13	171.8	173.3	1.5	0.0	2.0
RDO16-13	173.3	174.1	0.8	0.0	2.6
RDO16-13	174.1	174.8	0.7	0.1	3.3
RDO16-13	174.8	176.4	1.6	0.1	2.9
RDO16-13	176.4	177.8	1.3	0.1	5.1
RDO16-13	177.8	178.8	1.1	0.1	2.9
RDO16-13	178.8	180.4	1.6	0.0	1.4
RDO16-13	180.4	181.4	1.0	0.0	1.9
RDO16-13	181.4	182.8	1.4	0.1	3.6
RDO16-13	182.8	184.0	1.2	0.1	2.9

RDO16-13	184.0	185.4	1.4	0.1	3.6
RDO16-13	185.4	186.8	1.3	0.0	4.7
RDO16-13	186.8	188.6	1.8	0.0	0.8
RDO16-13	188.6	191.0	2.4	0.1	2.8
RDO16-13	191.0	192.0	0.9	0.0	0.6
RDO16-13	192.0	193.3	1.4	0.0	1.1
RDO16-13	193.3	194.7	1.3	0.1	0.0
RDO16-13	194.7	196.1	1.4	0.0	2.4
RDO16-13	196.1	197.0	0.9	0.1	4.9
RDO16-13	197.0	197.6	0.6	0.1	3.4
RDO16-13	197.6	199.3	1.7	0.4	6.5
RDO16-13	199.3	200.3	1.0	0.2	4.1
RDO16-13	200.3	201.9	1.6	0.1	0.0
RDO16-13	201.9	203.0	1.1	0.1	1.2
RDO16-13	203.0	204.4	1.4	0.4	5.9
RDO16-13	204.4	205.5	1.1	0.9	11.3
RDO16-13	205.5	207.0	1.5	0.1	1.5
RDO16-13	207.0	208.3	1.3	0.0	1.4
RDO16-13	208.3	209.5	1.2	0.0	3.1
RDO16-13	209.5	211.1	1.6	0.0	1.2
RDO16-13	211.1	212.6	1.5	0.0	0.6
RDO16-13	212.6	213.7	1.1	0.0	0.0
RDO16-13	213.7	214.8	1.1	0.1	0.0
RDO16-13	214.8	216.3	1.5	0.0	1.0
RDO16-13	216.3	218.0	1.7	0.0	0.7
RDO16-13	218.0	219.0	1.0	0.0	1.6
RDO16-13	219.0	219.6	0.6	0.3	5.5
RDO16-13	219.6	221.0	1.4	0.1	1.5
RDO16-13	221.0	222.8	1.8	0.0	1.6
RDO16-13	222.8	224.4	1.6	0.1	3.4
RDO16-13	224.4	225.5	1.1	0.1	3.2
RDO16-13	225.5	227.0	1.5	0.1	3.4
RDO16-13	227.0	228.6	1.6	0.1	1.7
RDO16-13	228.6	230.0	1.4	0.1	1.4
RDO16-13	230.0	233.0	3.0	0.0	0.0
RDO16-13	233.0	233.9	0.9	0.0	0.0
RDO16-13	233.9	235.6	1.7	0.1	2.4
RDO16-13	235.6	237.2	1.6	0.0	0.0
RDO16-13	237.2	238.7	1.5	0.0	0.0
RDO16-13	238.7	239.6	0.9	0.0	0.5
RDO16-13	239.6	241.1	1.5	0.0	0.0
RDO16-13	241.1	242.5	1.3	0.1	0.0
RDO16-13	242.5	243.7	1.3	0.1	0.0
RDO16-13	243.7	245.0	1.3	0.1	0.0
RDO16-13	245.0	246.5	1.5	0.1	0.0
RDO16-13	246.5	248.0	1.5	0.1	0.0
RDO16-13	248.0	249.2	1.2	0.1	0.0
RDO16-13	249.2	251.0	1.8	0.1	0.0
RDO16-13	251.0	252.3	1.3	0.1	0.0
RDO16-13	252.3	253.9	1.5	0.1	0.0

RDO16-13	253.9	255.1	1.3	0.1	0.0
RDO16-13	255.1	256.2	1.1	0.1	0.0
RDO16-13	256.2	257.1	0.9	0.1	0.0
RDO16-13	257.1	258.3	1.2	0.1	0.0
RDO16-13	258.3	260.0	1.7	0.1	0.0
RDO16-13	260.0	261.5	1.5	0.0	0.0
RDO16-13	261.5	263.0	1.5	0.0	0.0
RDO16-13	263.0	264.6	1.6	0.0	0.5
RDO16-13	264.6	266.0	1.4	0.0	0.0
RDO16-13	266.0	267.5	1.5	0.0	0.0
RDO16-13	267.5	269.0	1.5	0.0	0.0
RDO16-13	269.0	270.5	1.5	0.0	0.6
RDO16-13	270.5	272.0	1.5	0.0	1.0
RDO16-13	272.0	273.5	1.5	0.0	0.0
RDO16-13	273.5	275.0	1.5	0.0	0.0
RDO16-13	287.0	288.5	1.5	0.1	0.0
RDO16-13	288.5	290.0	1.5	0.1	0.0
RDO16-13	298.2	299.2	1.0	0.0	0.0
RDO16-13	299.2	300.2	1.0	0.0	0.5
RDO16-13	305.0	306.1	1.1	0.0	0.5
RDO16-13	306.1	308.1	2.0	0.0	0.5
RDO16-13	312.0	314.0	2.0	0.1	1.2
RDO16-13	314.0	315.5	1.5	0.1	3.7
RDO16-13	315.5	317.2	1.7	0.1	3.3
RDO16-13	317.2	318.5	1.3	0.0	0.7
RDO16-13	318.5	320.0	1.5	0.0	1.9
RDO16-13	320.0	321.5	1.5	0.0	0.9
RDO16-13	321.5	323.0	1.5	0.0	0.0
RDO16-13	323.0	324.5	1.5	0.0	0.0
RDO16-13	324.5	326.0	1.5	0.0	1.2
RDO16-13	326.0	327.9	1.9	0.0	1.1
RDO16-13	327.9	329.0	1.1	0.0	2.9
RDO16-13	329.0	330.5	1.5	0.0	3.3
RDO16-13	330.5	332.0	1.5	0.0	1.6
RDO16-13	332.0	333.9	1.9	0.0	1.5
RDO16-13	340.1	342.0	1.9	0.0	1.4
RDO16-14	12.8	14.0	1.2	0.0	0.7
RDO16-14	14.0	15.5	1.5	0.0	0.6
RDO16-14	15.5	17.0	1.5	0.0	0.0
RDO16-14	17.0	18.4	1.4	0.0	0.0
RDO16-14	18.4	20.0	1.6	0.0	0.0
RDO16-14	20.0	21.7	1.7	0.0	0.0
RDO16-14	21.7	23.0	1.3	0.0	0.0
RDO16-14	23.0	26.0	3.0	0.1	0.5
RDO16-14	26.0	27.4	1.4	0.0	0.0
RDO16-14	27.4	29.0	1.6	0.1	0.0
RDO16-14	29.0	30.0	1.0	0.1	0.8
RDO16-14	30.0	32.0	2.0	0.6	2.3
RDO16-14	32.0	33.5	1.5	0.4	2.5
RDO16-14	33.5	34.1	0.6	0.1	1.9

RDO16-14	34.1	35.6	1.5	0.1	1.7
RDO16-14	35.6	37.0	1.4	0.1	1.8
RDO16-14	37.0	38.0	1.0	0.1	1.7
RDO16-14	38.0	39.2	1.2	0.2	3.0
RDO16-14	39.2	40.5	1.3	0.0	0.5
RDO16-14	40.5	41.7	1.2	0.0	0.7
RDO16-14	41.7	42.4	0.7	0.0	0.6
RDO16-14	42.4	44.0	1.6	0.1	0.0
RDO16-14	44.0	44.9	0.9	0.0	0.0
RDO16-14	44.9	45.8	0.9	0.1	3.0
RDO16-14	45.8	46.6	0.8	0.1	0.9
RDO16-14	46.6	47.8	1.2	0.0	0.5
RDO16-14	47.8	48.3	0.5	0.0	1.0
RDO16-14	48.3	49.6	1.3	0.0	0.8
RDO16-14	49.6	51.5	1.9	0.0	0.0
RDO16-14	51.5	53.0	1.5	0.1	0.7
RDO16-14	53.0	54.5	1.5	0.1	0.0
RDO16-14	54.5	56.0	1.5	0.1	1.0
RDO16-14	56.0	57.5	1.5	0.1	0.0
RDO16-14	57.5	59.0	1.5	0.0	0.0
RDO16-14	59.0	60.5	1.5	0.1	3.9
RDO16-14	60.5	62.0	1.5	0.0	4.0
RDO16-14	62.0	63.5	1.5	0.1	2.2
RDO16-14	63.5	65.0	1.5	0.1	0.0
RDO16-14	65.0	66.5	1.5	0.1	0.0
RDO16-14	66.5	68.0	1.5	0.1	0.5
RDO16-14	68.0	69.5	1.5	0.1	0.0
RDO16-14	69.5	71.0	1.5	0.1	0.0
RDO16-14	71.0	72.4	1.4	0.0	0.0
RDO16-14	72.4	74.0	1.6	0.1	0.0
RDO16-14	74.0	75.2	1.2	0.0	1.2
RDO16-14	75.2	76.2	1.0	0.1	0.9
RDO16-14	76.2	77.2	1.0	0.1	0.6
RDO16-14	77.2	78.5	1.3	0.1	1.6
RDO16-14	78.5	79.6	1.1	0.2	1.5
RDO16-14	79.6	81.0	1.4	0.3	0.6
RDO16-14	81.0	82.2	1.2	0.3	0.5
RDO16-14	82.2	83.6	1.4	0.2	5.0
RDO16-14	83.6	84.4	0.8	0.2	1.5
RDO16-14	84.4	85.4	1.0	0.1	1.5
RDO16-14	85.4	87.1	1.7	0.1	1.3
RDO16-14	87.1	88.3	1.2	0.2	1.7
RDO16-14	88.3	89.0	0.7	0.4	1.3
RDO16-14	89.0	90.5	1.5	0.1	1.3
RDO16-14	90.5	92.0	1.5	0.1	2.0
RDO16-14	92.0	93.4	1.4	0.2	1.7
RDO16-14	93.4	95.0	1.6	0.2	1.9
RDO16-14	95.0	96.5	1.5	0.1	1.1
RDO16-14	96.5	98.0	1.5	0.1	0.6
RDO16-14	98.0	99.5	1.5	0.1	1.4

RDO16-14	99.5	101.0	1.5	0.1	0.8
RDO16-14	101.0	102.5	1.5	0.0	0.6
RDO16-14	102.5	104.2	1.7	0.0	1.0
RDO16-14	104.2	105.5	1.3	0.0	2.6
RDO16-14	105.5	107.0	1.5	0.0	1.3
RDO16-14	107.0	108.5	1.5	0.0	1.0
RDO16-14	108.5	109.4	0.9	0.0	1.7
RDO16-14	109.4	111.0	1.6	0.0	0.6
RDO16-14	111.0	112.0	1.0	0.0	1.6
RDO16-14	112.0	113.0	1.0	0.1	0.0
RDO16-14	113.0	114.5	1.5	0.1	1.4
RDO16-14	114.5	115.5	1.0	0.1	1.6
RDO16-14	115.5	116.3	0.8	0.1	1.7
RDO16-14	116.3	116.8	0.5	0.1	0.0
RDO16-14	116.8	118.2	1.4	0.1	1.0
RDO16-14	118.2	119.3	1.1	0.1	1.4
RDO16-14	119.3	120.2	0.9	0.0	1.0
RDO16-14	120.2	121.5	1.3	0.1	1.5
RDO16-14	121.5	122.5	1.0	0.0	1.2
RDO16-14	122.5	123.7	1.2	0.1	2.6
RDO16-14	123.7	124.1	0.4	0.1	3.4
RDO16-14	124.1	125.0	0.9	0.1	4.3
RDO16-14	125.0	125.9	0.9	0.1	1.0
RDO16-14	125.9	126.8	0.9	0.0	1.4
RDO16-14	126.8	127.1	0.3	0.0	0.7
RDO16-14	127.1	128.0	0.9	0.1	2.4
RDO16-14	128.0	129.5	1.5	0.1	1.7
RDO16-14	129.5	131.0	1.5	0.1	2.5
RDO16-14	131.0	132.2	1.2	0.1	1.7
RDO16-14	132.2	133.2	1.0	0.1	0.5
RDO16-14	133.2	134.0	0.8	0.1	1.6
RDO16-14	134.0	135.0	1.0	0.1	1.5
RDO16-14	135.0	136.0	1.0	0.1	2.1
RDO16-14	136.0	136.8	0.8	0.1	0.9
RDO16-14	136.8	137.9	1.2	0.1	1.1
RDO16-14	137.9	139.0	1.1	0.0	0.9
RDO16-14	139.0	140.6	1.6	0.1	1.5
RDO16-14	140.6	141.5	0.9	0.1	1.8
RDO16-14	141.5	143.0	1.5	0.1	1.8
RDO16-14	143.0	143.6	0.6	0.1	0.6
RDO16-14	143.6	144.5	0.9	0.1	4.8
RDO16-14	144.5	146.0	1.5	0.0	0.8
RDO16-14	146.0	147.9	1.9	0.0	1.1
RDO16-14	147.9	149.0	1.1	0.1	1.3
RDO16-14	149.0	150.4	1.4	0.1	1.0
RDO16-14	150.4	151.4	1.0	0.0	1.6
RDO16-14	151.4	152.0	0.6	0.0	1.0
RDO16-14	152.0	153.2	1.2	0.0	1.6
RDO16-14	153.2	153.8	0.6	0.0	0.9
RDO16-14	153.8	155.0	1.2	0.0	1.3

RDO16-14	155.0	156.9	1.9	0.0	1.3
RDO16-14	156.9	157.8	0.9	0.0	1.6
RDO16-14	157.8	159.5	1.7	0.1	1.3
RDO16-14	159.5	160.5	1.0	0.0	0.9
RDO16-14	160.5	161.6	1.1	0.1	1.8
RDO16-14	161.6	162.6	1.0	0.0	1.8
RDO16-14	162.6	164.0	1.4	0.1	4.2
RDO16-14	164.0	165.1	1.1	0.0	1.1
RDO16-14	165.1	165.8	0.7	0.0	0.9
RDO16-14	165.8	167.0	1.2	0.1	1.0
RDO16-14	167.0	167.4	0.4	0.0	1.0
RDO16-14	167.4	167.7	0.3	0.1	0.8
RDO16-14	167.7	168.5	0.8	0.1	1.0
RDO16-14	168.5	170.0	1.5	0.0	2.8
RDO16-14	170.0	170.4	0.4	0.0	1.0
RDO16-14	170.4	170.9	0.5	0.1	1.7
RDO16-14	170.9	171.9	1.0	0.0	0.9
RDO16-14	171.9	172.7	0.8	0.0	1.1
RDO16-14	172.7	173.7	1.0	0.1	1.4
RDO16-14	173.7	174.2	0.5	0.1	0.0
RDO16-14	174.2	174.8	0.6	0.0	1.5
RDO16-14	174.8	176.3	1.4	0.0	1.4
RDO16-14	176.3	177.8	1.5	0.0	2.2
RDO16-14	177.8	178.3	0.5	0.1	0.8
RDO16-14	178.3	178.7	0.4	0.1	2.4
RDO16-14	178.7	179.3	0.6	0.0	2.6
RDO16-14	179.3	179.7	0.4	0.0	1.6
RDO16-14	179.7	180.0	0.3	0.0	1.5
RDO16-14	180.0	181.5	1.5	0.0	0.9
RDO16-14	181.5	182.8	1.4	0.0	1.7
RDO16-14	182.8	183.4	0.6	0.0	1.3
RDO16-14	183.4	184.5	1.1	0.0	20.5
RDO16-14	184.5	185.9	1.3	0.1	30.8
RDO16-14	185.9	187.2	1.3	0.1	2.6
RDO16-14	187.2	188.6	1.4	0.0	1.6
RDO16-14	188.6	189.9	1.3	0.1	5.7
RDO16-14	189.9	191.0	1.1	0.0	1.8
RDO16-14	191.0	191.8	0.8	0.0	1.8
RDO16-14	191.8	192.3	0.5	0.1	4.5
RDO16-14	192.3	194.1	1.8	0.1	3.0
RDO16-14	194.1	195.7	1.6	0.1	4.4
RDO16-14	195.7	197.0	1.3	0.0	1.5
RDO16-14	197.0	198.4	1.4	0.0	1.1
RDO16-14	198.4	199.7	1.3	0.0	0.8
RDO16-14	199.7	201.2	1.5	0.0	1.1
RDO16-14	201.2	201.5	0.3	0.1	2.4
RDO16-14	201.5	201.8	0.3	0.0	1.4
RDO16-14	201.8	202.4	0.6	0.0	0.9
RDO16-14	202.4	203.8	1.4	0.1	3.1
RDO16-14	203.8	204.7	0.9	0.1	2.2

RDO16-14	204.7	205.3	0.6	0.2	5.0
RDO16-14	205.3	205.9	0.6	0.2	4.4
RDO16-14	205.9	207.0	1.1	0.1	2.9
RDO16-14	207.0	209.1	2.1	0.2	4.7
RDO16-14	209.1	209.7	0.6	0.2	4.0
RDO16-14	209.7	211.1	1.4	0.1	2.6
RDO16-14	211.1	211.9	0.8	0.2	5.4
RDO16-14	211.9	213.0	1.1	0.2	7.3
RDO16-14	213.0	213.9	0.9	0.1	2.0
RDO16-14	213.9	214.6	0.7	0.3	7.5
RDO16-14	214.6	216.6	2.0	0.2	5.6
RDO16-14	216.6	217.0	0.4	0.0	0.9
RDO16-14	217.0	218.1	1.1	0.2	2.8
RDO16-14	218.1	219.3	1.2	0.1	3.0
RDO16-14	219.3	219.8	0.4	0.3	4.0
RDO16-14	219.8	221.5	1.8	0.1	1.5
RDO16-14	221.5	222.3	0.8	0.1	1.4
RDO16-14	222.3	223.9	1.7	0.1	0.0
RDO16-14	223.9	226.5	2.6	0.5	3.1
RDO16-14	226.5	227.4	0.9	0.3	4.0
RDO16-14	227.4	227.9	0.4	0.2	5.3
RDO16-14	227.9	229.5	1.7	0.2	2.1
RDO16-14	229.5	230.1	0.6	0.1	1.1
RDO16-14	230.1	230.5	0.4	0.0	1.1
RDO16-14	230.5	231.9	1.4	0.5	5.5
RDO16-14	231.9	233.6	1.7	0.4	4.2
RDO16-14	233.6	235.0	1.4	0.1	1.2
RDO16-14	235.0	236.6	1.6	0.2	3.6
RDO16-14	236.6	237.8	1.2	0.2	1.6
RDO16-14	237.8	238.8	1.1	0.1	1.0
RDO16-14	238.8	240.0	1.2	0.1	4.1
RDO16-14	240.0	241.0	0.9	0.2	4.0
RDO16-14	241.0	242.5	1.6	0.1	2.9
RDO16-14	242.5	243.4	0.9	0.0	1.3
RDO16-14	243.4	245.0	1.6	0.1	0.7
RDO16-14	245.0	246.5	1.5	0.3	6.4
RDO16-14	246.5	248.0	1.5	0.2	4.6
RDO16-14	248.0	249.5	1.5	0.2	3.4
RDO16-14	249.5	251.2	1.7	0.2	5.6
RDO16-14	251.2	252.8	1.6	0.0	0.6
RDO16-14	252.8	254.0	1.3	0.0	1.5
RDO16-14	254.0	255.5	1.5	0.1	2.5
RDO16-14	255.5	257.0	1.5	0.0	0.8
RDO16-14	257.0	258.5	1.5	0.1	4.1
RDO16-14	258.5	260.0	1.5	0.1	1.6
RDO16-14	260.0	261.5	1.5	0.1	1.3
RDO16-14	261.5	262.6	1.1	0.0	2.0
RDO16-14	262.6	263.4	0.7	0.1	3.0
RDO16-14	263.4	263.8	0.4	0.0	0.9
RDO16-14	263.8	264.2	0.3	0.1	3.2

RDO16-14	264.2	264.9	0.8	0.1	3.1
RDO16-14	264.9	266.5	1.6	0.0	1.4
RDO16-14	266.5	267.9	1.4	0.0	1.0
RDO16-14	267.9	269.2	1.3	0.0	0.9
RDO16-14	269.2	270.7	1.5	0.0	1.5
RDO16-14	270.7	272.0	1.3	0.0	1.2
RDO16-14	272.0	273.5	1.5	0.0	1.6
RDO16-14	273.5	275.0	1.5	0.0	0.8
RDO16-14	275.0	276.5	1.5	0.0	1.0
RDO16-14	276.5	278.0	1.5	0.0	0.9
RDO16-14	278.0	278.6	0.6	0.0	0.9
RDO16-14	278.6	279.8	1.3	0.2	2.0
RDO16-14	279.8	280.9	1.1	0.5	3.5
RDO16-14	280.9	282.1	1.2	0.4	3.5
RDO16-14	282.1	283.0	0.9	0.6	3.6
RDO16-14	283.0	284.7	1.7	0.4	3.8
RDO16-14	284.7	285.2	0.6	0.0	0.7
RDO16-14	285.2	286.5	1.3	0.1	1.3
RDO16-14	286.5	287.9	1.4	0.1	1.9
RDO16-14	287.9	289.4	1.5	0.2	1.5
RDO16-14	289.4	290.8	1.4	0.1	1.1
RDO16-14	290.8	292.2	1.4	0.1	2.2
RDO16-14	292.2	293.6	1.4	0.1	1.0
RDO16-14	293.6	295.0	1.3	0.1	0.9
RDO16-14	295.0	296.4	1.5	0.1	0.9
RDO16-14	296.4	297.9	1.4	0.0	0.7
RDO16-14	297.9	299.3	1.4	0.0	0.7
RDO16-14	299.3	300.8	1.5	0.1	0.9
RDO16-14	300.8	302.1	1.4	0.1	1.4
RDO16-14	302.1	303.2	1.1	0.0	0.9
RDO16-14	303.2	304.6	1.4	0.1	2.0
RDO16-14	304.6	306.2	1.5	0.1	3.1
RDO16-14	306.2	307.5	1.3	0.1	1.6
RDO16-14	307.5	308.7	1.2	0.1	1.3
RDO16-14	308.7	310.2	1.5	0.1	1.1
RDO16-14	310.2	311.6	1.4	0.1	3.9
RDO16-14	311.6	312.9	1.4	0.1	3.5
RDO16-14	312.9	314.3	1.4	0.1	1.4
RDO16-14	314.3	315.2	0.9	0.1	2.9
RDO16-14	315.2	316.5	1.3	0.1	1.9
RDO16-14	316.5	317.9	1.4	0.1	2.6
RDO16-14	317.9	319.2	1.3	0.2	4.4
RDO16-14	319.2	320.6	1.4	0.2	4.3
RDO16-14	320.6	322.0	1.4	0.3	7.1
RDO16-14	322.0	323.4	1.4	0.1	3.3
RDO16-14	323.4	324.8	1.5	0.1	1.9
RDO16-14	324.8	325.5	0.7	0.1	2.3
RDO16-14	325.5	326.9	1.3	0.1	3.5
RDO16-14	326.9	327.9	1.0	0.1	3.5
RDO16-14	327.9	329.6	1.7	0.2	4.2

RDO16-14	329.6	330.2	0.6	0.0	3.5
RDO16-14	330.2	331.4	1.3	0.1	3.9
RDO16-14	331.4	332.9	1.5	0.1	4.3
RDO16-14	332.9	334.4	1.5	0.1	2.3
RDO16-14	334.4	335.1	0.8	0.1	2.0
RDO16-14	335.1	336.6	1.5	0.1	2.4
RDO16-14	336.6	338.0	1.4	0.1	2.6
RDO16-14	338.0	339.0	1.0	0.1	6.3
RDO16-14	339.0	340.2	1.2	0.1	1.7
RDO16-14	340.2	341.6	1.3	0.1	2.6
RDO16-14	341.6	343.0	1.4	0.1	2.4
RDO16-14	343.0	343.8	0.9	0.1	1.7
RDO16-14	343.8	345.2	1.4	0.2	4.5
RDO16-14	345.2	346.5	1.2	0.1	5.0
RDO16-14	346.5	347.4	1.0	0.1	4.5
RDO16-14	347.4	348.5	1.1	0.1	3.0
RDO16-14	348.5	349.7	1.2	0.1	2.7
RDO16-14	349.7	350.9	1.2	0.2	6.8
RDO16-14	350.9	352.5	1.6	0.3	5.8
RDO16-14	352.5	354.1	1.7	0.1	2.8
RDO16-14	354.1	355.5	1.3	0.0	1.6
RDO16-14	355.5	356.0	0.6	0.0	0.7
RDO16-14	356.0	356.7	0.6	0.0	2.5
RDO16-14	356.7	358.2	1.6	0.1	1.2
RDO16-14	358.2	359.0	0.8	0.2	17.2
RDO16-14	359.0	359.4	0.4	0.1	3.9
RDO16-14	359.4	359.8	0.4	0.1	13.8
RDO16-14	359.8	361.4	1.6	0.1	5.4
RDO16-14	361.4	362.8	1.4	0.1	2.9
RDO16-14	362.8	363.5	0.7	0.1	5.0
RDO16-14	363.5	365.1	1.6	0.1	4.7
RDO16-14	365.1	366.3	1.2	0.1	1.7
RDO16-14	366.3	367.7	1.4	0.1	1.7
RDO16-14	367.7	368.9	1.3	0.0	1.0
RDO16-14	368.9	369.4	0.5	0.1	1.9
RDO16-14	369.4	370.8	1.4	0.0	0.6
RDO16-14	370.8	372.1	1.4	0.0	0.8
RDO16-14	372.1	373.5	1.4	0.1	2.0
RDO16-14	373.5	374.5	1.0	0.0	0.7
RDO16-14	374.5	375.3	0.8	0.0	2.7
RDO16-14	375.3	376.4	1.1	0.1	2.7
RDO16-14	376.4	377.1	0.7	0.0	1.5
RDO16-14	377.1	378.3	1.3	0.1	1.4
RDO16-14	378.3	379.9	1.6	0.1	1.1
RDO16-14	379.9	381.8	1.9	0.0	1.4
RDO16-14	381.8	383.1	1.3	0.0	0.0
RDO16-14	383.1	384.5	1.5	0.0	0.8
RDO16-14	384.5	386.0	1.4	0.0	0.6
RDO16-14	386.0	387.3	1.3	0.0	0.9
RDO16-14	387.3	388.8	1.6	0.0	1.8

RDO16-14	388.8	390.0	1.2	0.0	1.2
RDO16-14	390.0	391.5	1.5	0.1	2.3
RDO16-14	391.5	392.9	1.4	0.1	1.2
RDO16-14	392.9	394.0	1.1	0.0	1.4
RDO16-14	394.0	395.3	1.3	0.0	0.9
RDO16-14	395.3	396.7	1.4	0.0	0.7
RDO16-14	396.7	397.9	1.3	0.0	1.0
RDO16-14	397.9	399.5	1.6	0.0	0.0